



# TOPPER'S ACADEMY

## Answerkey (NEET 2021)



C-32 First floor sector 2, Noida, Near  
sector 15 metro station (201301)  
info@toppersacademy.app  
Contact: 07827048964, +911204319253

## Chemistry

51. Given below are two statements:

**Statement I:**

Aspirin and paracetamol belong to the class of narcotic analgesics.

**Statement II:**


Morphine and Heroin are non-narcotic analgesics. In the light of the above statements, choose the correct answer from the options given below.

- (I) Both statement I and Statement II are true.
- (II) Both statement I and Statement II are false
- (III) Statement I is correct but statement II is false
- (IV) Statement I is incorrect but Statement II is true


**Answer: (2)**

52. The correct structure of 2,6-Dimethyl-dec-4-ene is :


(1)




(2)



(3)



(4)



**Answer: (1)**

53.  $\text{BF}_3$  is planar and electron deficient compound. Hybridization and number of electrons around the central atom, respectively are:

- (a)  $\text{sp}^3$  and 4
- (b)  $\text{sp}^3$  and 6
- (c)  $\text{sp}^2$  and 6
- (d)  $\text{sp}^2$  and 8

**Answer: (4)**

54. Noble gases are named because of their inertness towards reactivity an incorrect statement about them:

- (1) Noble gases are sparingly soluble in water
- (2) Noble gases have very high melting and boiling point.
- (3) Noble gases have weak dispersion forces.
- (d) Noble gases have large positive values of electron gain enthalpy.

**Answer: (2)**

55. The molar conductance of  $\text{NaCl}$ ,  $\text{HCl}$  and  $\text{CH}_3\text{COONa}$  at infinite dilution are 126.45, 426.16 and 91.0  $\text{S cm}^2 \text{mol}^{-1}$  respectively. The molar conductance of  $\text{CH}_3\text{COOH}$  at infinite dilution is Choose the right option for your answer.

- (1) 201.28  $\text{S cm}^2 \text{mol}^{-1}$
- (2) 390.71  $\text{S cm}^2 \text{mol}^{-1}$
- (3) 698.28  $\text{S cm}^2 \text{mol}^{-1}$
- (4) 540.48  $\text{S cm}^2 \text{mol}^{-1}$

**Answer: (2)**

56. The right option for statement "Tyndall effect is exhibited by" is:

- (1)  $\text{NaCl}$  solution
- (2) Glucose solution
- (3) Starch solution
- (4) Urea solution

**Answer: (3)**

57. The RBC deficiency is deficiency disease of:

- (1) Vitamin  $\text{B}_{12}$

- (2) Vitamin B<sub>6</sub>
  - (3) Vitamin B<sub>1</sub>
  - (4) Vitamin B<sub>2</sub>
58. Dihedral angle of least stable conformer of ethane is:
- (1) 120°
  - (2) 180°
  - (3) 60°
  - (4) 0°

**Answer: (4)**

59. The incorrect statement among the following is:
- (1) Actinoid contraction is greater for element to element than Lanthanoid contraction.
  - (2) Most of the trivalent Lanthanoid ions are colorless in the solid state.
  - (3) Lanthanoids are good conductors of heat and electricity.
  - (4) Actinoids are highly reactive metals, especially when finely divided.

**Answer: (2)**

60. The major product formed in dehydrohalogenation reaction of 2-Bromo pentane is Pent-2-ene. This product formation is based on?
- (1) Saytzeffs Rule
  - (2) Hund's Rule
  - (3) Hofmann Rule
  - (d) Hucker's Rule

**Answer: (1)**

61. Which one among the following is the correct option for right relationship between C<sub>p</sub> and C<sub>v</sub> for one mole of ideal gas?
- (1) C<sub>p</sub> + C<sub>v</sub> = R
  - (2) C<sub>p</sub> - C<sub>v</sub> = R
  - (3) C<sub>p</sub> = RC<sub>v</sub>
  - (4) C<sub>v</sub> = RC<sub>p</sub>


**Answer: (2)**

62. Which one fo the following polymers is prepared by addition polymerization?
- (1) Teflon
  - (2) Nylon-66

- (3) Novolac
- (4) Dacron

**Answer: (1)**

63. What is the IUPAC name of the organic compound formed in the following chemical reaction?



- (1) 2-methylpropan-2-ol
- (2) pentan-2-ol
- (3) pentan-3-ol
- (4) 2-methylbutan-2-ol

**Answer: (4)**

64. Match List – I with List – II

List-I	List-II
(a) $PCl_5$	(i) Square pyramidal
(b) $SF_6$	(ii) Trigonal planar
(c) $BrF_5$	(iii) Octahedral
(d) $BF_3$	(iv) Trigonal bipyramidal

Choose the **correct** answer from the options given below:

- (1) (a)-(iv), (b)-(iii), (c)-(i), d-(ii)
- (2) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i)
- (3) (a)-(iii), (b)-(i), (c)-(iv), (d)-(ii)
- (4) a)-(iv), (b)-(iii), (c)-(ii), (d)-(i)

**Answer: (1)**

65. Which one of the following methods can be used to obtain highly pure metal which is liquid at room temperature?

- (1) Electrolysis
- (2) Chromatography
- (3) Distillation
- (4) Zone refining

**Answer: (3)**



**Answer: (1)**

68. The correct sequence of bond enthalpy of 'C-X' bond is:

- (1)  $CH_3 - F < CH_3 - Cl < CH_3 - Br < CH_3 - I$
- (2)  $CH_3 - F > CH_3 - Cl > CH_3 - Br > CH_3 - I$
- (3)  $CH_3 - F < CH_3 - Cl > CH_3 - Br > CH_3 - I$
- (4)  $CH_3 - Cl > CH_3 - F > CH_3 - Br > CH_3 - I$

**Answer: (2)**

69. Right option for the number of tetrahedral and octahedral voids in hexagonal primitive unit cell are:

- (1) 8, 4
- (2) 6, 12
- (3) 2, 1
- (4) 12, 6

**Answer: (4)**


70. Which of the following reactions is the metal displacement reaction? Choose the right option.,

- (1)  $2KClO_3 \xrightarrow{\Delta} 2KCl + 3O_2$
- (2)  $Cr_2O_3 + 2Al \xrightarrow{\Delta} Al_2O_3 + 2Cr$
- (3)  $Fe + 2HCl \rightarrow FeCl_2 + H_2 \uparrow$
- (4)  $2Pb(NO_3)_2 \rightarrow 2PbO + 4NO_2 + O_2 \uparrow$


**Answer: (2)**

71. Choose the correct option for graphical representation of Boyle's law, which shows a graph of pressure vs. volume of a gas at different temperatures:


(1)




(2)



(3)



(4)



**Answer: (4)**

72. The  $pK_b$  of dimethylamine and  $pK_a$  of acetic acid are 3.27 and 4.77 respectively at T(K).

The correct option for the pH of dimethylammonium acetate solution is:

- (1) 8.50
- (2) 5.50
- (3) 7.75
- (4) 6.25

**Answer: (3)**

73. Among the following alkaline earth metal halides, one which is covalent and soluble in organic solvent is:

- (1) Calcium chloride
- (2) Strontium chloride
- (3) Magnesium chloride
- (4) Beryllium chloride

**Answer: (4)**

74. The maximum temperature that can be achieved in blast furnace is:

- (a) upto 1200K
- (2) upto 2200K
- (3) upto 1900K
- (4) upto 5000K

**Answer: (2)**

75. Ethylene diaminetetraacetate (EDTA) ion is:

- (1) Hexadentate ligand with four "O" and two "N" donor atoms
- (2) Unidentate ligand
- (3) Bidentate ligand with two "N" donor atoms
- (4) Tridentate ligand with three "N" donor atoms

**Answer: (1)**

76. The following solutions were prepared by dissolving 10 g of glucose ( $C_6H_{12}O_6$ ) in 250 ml of water ( $P_1$ ), 10 g of urea  $CH_4N_2O$  in 250 ml of water ( $P_2$ ) and 10 g of sucrose

( $C_{12}H_{22}O_{11}$ ) in 250 ml of water ( $P_3$ ). The right option for the decreasing order of osmotic pressure of these solutions is:

- (1)  $P_2 > P_1 > P_3$
- (2)  $P_2 > P_3 > P_1$
- (3)  $P_2 > P_3 > P_1$
- (4)  $P_3 > P_1 > P_2$

**Answer: (1)**

**77. Statement I:**

Acid strength increase in the order given as  $HF \ll HCl \ll HBr \ll HI$ .

**Statement II:**

As the size of the elements F, Cl, Br, I increase down the group, the bond strength of HF, HCl, HBr and HI decrease and so the acid strength increase.

In the light of the above statements, choose the correct answer from the options given below.

- (1) Both statement I and Statement II are true.
- (2) Both statement I and statement II are false
- (3) Statement I is correct but statement II is false
- (4) Statement I is incorrect but statement II is true

**Answer: (1)**


78. The structure of beryllium chloride in solid state and vapour phase are:

- (1) Chain and dimer, respectively
- (2) Linear in both
- (3) Dimer and Linear, respectively
- (4) Chain in both


**Answer: (1)**

79. For a reaction  $A \rightarrow B$ , enthalpy of reaction is  $-4.2 \text{ kJ mol}^{-1}$  and enthalpy of activation is  $9.6 \text{ kJ mol}^{-1}$ . The correct potential energy profile for the reaction is shown in option.


- (1)




(2)



(3)



(4)



**Answer: (2)**

80. Zr( $Z=40$ ) and Hf( $Z=72$ ) have similar atomic and ionic radii because of:

- (1) belonging to same group
- (2) diagonal relationship
- (3) lanthanoid contraction
- (4) having similar chemical properties

**Answer: (3)**

81. A particular station of all India Radio. New Delhi broadcasts on a frequency of 1,368 kHz (kilohertz). The wavelength of the electromagnetic radiation emitted by the transmitter is: [speed of light  $c = 3.0 \times 10^8 \text{ ms}^{-1}$ ]
- (1) 219.3 m
  - (2) 219.2 m
  - (3) 2192 m
  - (4) 21.92 cm

**Answer: (1)**

82. An organic compound contains 78% (by wt) carbon and remaining percentage of hydrogen. The right option for the empirical formula of this compound is: [Atomic wt. of C is 12, H is 1]
- (1) CH
  - (2) CH<sub>2</sub>
  - (3) CH<sub>3</sub>
  - (4) CH<sub>4</sub>


**Answer: (3/4)**

83. The compound which shows metamerism is:
- (1) C<sub>5</sub>H<sub>12</sub>
  - (2) C<sub>3</sub>H<sub>8</sub>O
  - (3) C<sub>3</sub>H<sub>6</sub>O
  - (4) C<sub>4</sub>H<sub>10</sub>O


**Answer: (4)**

84. Identify the compound that will react with Hinsberg's reagent to give a solid which dissolves in alkali.


(1)




(2)



(3)



(4)



**Answer: (3)**

85. The correct option for the number of body central unit cells in all 14 types of Bravais lattice unit cells is:

- (1) 7
- (2) 5
- (3) 2
- (4) 3

**Answer: (4)**

86. Match List- I with List-II

List-I	List-II
(a) $[Fe(CN)_6]^{3-}$	(i) 5.92 BM
(b) $[Fe(H_2O)_6]^{3+}$	(ii) 0 BM
(c) $[Fe(CN)_6]^{4-}$	(iii) 4.90 BM
(d) $[Fe(H_2O)_6]^{2+}$	(iv) 1.73 BM


Choose the correct answer from the options given below:

- (1) (a) –(iv), (b)-(ii), (c)-(i), (d)-(iii)
- (2) (a) –(ii), (b)-(iv), (c)-(iii), (d)-(i)
- (3) (a) –(i), (b)-(iii), (c)-(iv), (d)-(ii)
- (4) (a) –(iv), (b)-(i), (c)-(ii), (d)-(iii)

87. Choose the correct option for the total pressure (in atm) in a mixture of 4 g O<sub>2</sub> and 2 g H<sub>2</sub> confined in a total volume of one litre at 0° C is:

- (1) 2.518
- (2) 2.602
- (3) 25.18
- (d) 26.02

**Answer: (3)**



Consider the above reaction and identify the missing reagent/chemical.

- (1) B<sub>2</sub>H<sub>6</sub>
- (2) Red Phosphorus
- (3) CaO
- (4) DIBAL-H

**Answer: (3)**

89. For irreversible expansion of an ideal gas under isothermal condition, the correct option is:

- (1)  $\Delta U = 0, \Delta S_{total} = 0$
- (2)  $\Delta U \neq 0, \Delta S_{total} \neq 0$
- (3)  $\Delta U = 0, \Delta S_{total} \neq 0$
- (4)  $\Delta U \neq 0, \Delta S_{total} = 0$

**Answer: (3)**

90. In which one of the following arrangements the given sequence is not strictly according to the properties indicated against it?

- (1)  $HF < HCl < HBr < HI$  : Increasing acidic strength  
 (2)  $H_2O < H_2S < H_2Se < H_2Te$  : Increasing  $pK_a$  values  
 (3)  $NH_3 < PH_3 < AsH_3 < SBH_3$  : Increasing acidic character  
 (4)  $CO_2 < SiO_2 < SnO_2 < PbO_2$  : Increasing oxidizing power

**Answer: (2)**

91. The molar conductivity of 0.007 M acetic acid is  $20 \text{ S cm}^2 \text{ mol}^{-1}$ . What is the dissociation constant of acetic acid? Choose the correct option.

$$\left[ \begin{array}{l} \Lambda_{H^+}^\circ = 350 \text{ S cm}^2 \text{ mol}^{-1} \\ \Lambda_{CH_3COO^-}^\circ = 50 \text{ S cm}^2 \text{ mol}^{-1} \end{array} \right]$$

- (1)  $1.75 \times 10^{-4} \text{ mol L}^{-1}$   
 (2)  $2.50 \times 10^{-4} \text{ mol L}^{-1}$   
 (3)  $1.75 \times 10^{-5} \text{ mol L}^{-1}$   
 (4)  $2.50 \times 10^{-5} \text{ mol L}^{-1}$


92. The slope of Arrhenius Plot  $\left( \ln k \text{ v/s } \frac{1}{T} \right)$  of first order reaction is  $-5 \times 10^3 \text{ K}$ . The value of  $E_a$  of the reaction is. Choose the correct option for your answer.

[Given  $R = 8.314 \text{ JK}^{-1} \text{ mol}^{-1}$ ]


- (1)  $41.5 \text{ kJ mol}^{-1}$   
 (2)  $83.0 \text{ kJ mol}^{-1}$   
 (3)  $166 \text{ kJ mol}^{-1}$   
 (4)  $-83 \text{ kJ mol}^{-1}$




**Answer: (1)**

93. The product formed in the following chemical reaction is:



(1)









Answer: (4)

94. Match List-I with List-II

List-I

List-II



Choose the **correct** answer from the options given below:

- (1) (a)-(iv), (b)-(i), (c)-(ii), (d)-(iii)
- (2) (a)-(iii), (b)-(ii), (c)-(i), (d)-(iv)
- (3) (a)-(i), (b)-(iv), (c)-(iii), (d)-(ii)
- (4) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i)

Answer: (4)

95. Which of the following molecules is non-polar in nature?

- (a)  $\text{POCl}_3$
- (b)  $\text{CH}_2\text{O}$
- (c)  $\text{SbCl}_5$
- (d)  $\text{NO}_2$

**Answer: (3)**

96. From the following pairs of ions which one is not an iso-electronic pair?

- (1)  $\text{O}^{2-}, \text{F}^-$
- (2)  $\text{Na}^+, \text{Mg}^{2+}$
- (3)  $\text{Mn}^{2+}, \text{Fe}^{3+}$
- (4)  $\text{Fe}^{2+}, \text{Mn}^{2+}$

**Answer: (4)**





97. The correct for the value of vapour pressure of a solution at  $45^\circ\text{C}$  with benzene to octane in molar ratio 3:2 is:

[At  $45^\circ\text{C}$  vapour pressure of benzene is 280 mm Hg and that of octane is 420 mm Hg. Assume Ideal gas]

- (1) 160 mm of Hg
- (2) 168 mm of Hg
- (3) 336 mm of Hg
- (d) 350 mm of Hg

**Answer: (3)**

98. Match List-I with List-II



**Answer: (3)**






99. The reagent 'R' in the given sequence of chemical reaction is:



- (1)  $\text{H}_2\text{O}$
- (2)  $\text{CH}_3\text{CH}_2\text{OH}$
- (3)  $\text{HI}$
- (4)  $\text{CuCN/KCN}$

**Answer: (2)**

100. The intermediate compound 'X' in the following chemical reaction is:



**Answer: (1)**



**FACULTIES**

**NEET / IIT-JEE (Mains + Advanced)**

**Features**



Sumit Mishra B.Tech IIT Roorkee | Raja Singh M.Sc in Physics | Kokil Jain M.Sc IIT Kanpur | Gopesh Gupta B.Tech | Pardeep Kumar M.sc IIT Bombay | Pankaj Rana B.Tech | Dr. Sumalya Anees Ph.D. in Biotechnology | Divya Singh M.Sc Botany

- » **Live & Interactive Classes**
- » **Doubt Classes**
- » **Top Notch Faculties ( IITians & PhD holders)**
- » **Small Batch Size**
- » **Specially designed Study Material**

**Interactive Online Batches**

**On - Campus (Offline Batches)**



- ▶ 1 Year Regular Course for IIT - JEE Dropper 2022 **15 Sep**
- ▶ 1 Year Regular Course for NEET Dropper 2022 **21 Sep**

**Upcoming Batches**

**OFFLINE BATCHES**

(Sanitized Classrooms as per Covid-19 Guidelines)

Delhi Noida (UP)

**REGISTER NOW!**



**NEET TEST SERIES**

+91 7827048964

<https://toppersacademy.app/>



**24 TESTS**

**(12 Part Tests & 4 Cumulative Tests)**

**8 Major Tests (Full Syllabus)**

**NEET Test Series Price ₹ 2499/-**

**BENEFITS**

- ✔ Scientifically structured and designed by our top faculties to gradually take students to next level.
- ✔ Syllabus has been structured in a way to ensure thorough revision & practice of students.
- ✔ Every paper will be based on the current pattern announced by NTA.

<https://toppersacademy.app/>

**JEE (Mains + Advanced) Test Series**

+91 7827048964



**24 TESTS**

**(9 Part Test of Mains Pattern & 3 Cumulative Test of Advanced Pattern)**

**6 Mains Pattern (Full Syllabus)**

**6 Advanced Pattern (Full Syllabus)**

**JEE (Mains + Advanced) Test Series Price**

**₹ 2599/-**

**Benefits**

- ✔ Scientifically structured and designed by our top faculties to gradually take students to next level.
- ✔ Syllabus has been structured in a way to ensure thorough revision & practice of students.
- ✔ Every paper will be based on the current pattern announced by NTA.

**C-32 First floor sector 2, Noida, Near sector 15 metro station (201301)**

**info@toppersacademy.app**

**Contact: 07827048964, +911204319253**