



# TOPPER'S ACADEMY

## Answerkey (NEET 2021)




C-32 First floor sector 2, Noida, Near  
sector 15 metro station (201301)

[info@toppersacademy.app](mailto:info@toppersacademy.app)

Contact: 07827048964, +911204319253

1. An inductor of inductance  $L$ , a capacitor of capacitance  $C$  and a resistor of resistance ' $R$ ' are connected in series to an ac source of potential difference ' $V$ ' volts as shown in figure.


Potential difference across  $L$ ,  $C$  and  $R$  is 40 V, 10 V and 40 V, respectively, The amplitude of current flowing through LCR series circuit is  $10\sqrt{2}$  A. The impedance of the circuit is:



- (1)  $4\sqrt{2}\Omega$
- (2)  $5/\sqrt{2}\Omega$
- (3)  $4\Omega$
- (4)  $5\Omega$

**Answer: (4)**


2. Find the value of the angle of emergence from the prism. Refractive index of the glass is  $\sqrt{3}$ .



- (1)  $60^\circ$
- (2)  $30^\circ$
- (3)  $45^\circ$
- (4)  $90^\circ$

**Answer: (1)**

3. A dipole is placed in an electric field as shown. In which direction will it move?



- (1) towards the left as its potential energy will increase.
- (2) towards the right as its potential energy will decrease.
- (3) towards the left as its potential energy will decrease.
- (4) towards the right as its potential energy will increase.

**Answer: (2)**

4. A capacitor of capacitance 'C', is connected across an ac source of voltage V, given by  $V = V_0 \sin \omega t$


The displacement current between the plates of the capacitor, would then be given by:

- (1)  $I_d = V_0 \omega C \cos \omega t$
- (2)  $I_d = \frac{V_0}{\omega C} \cos \omega t$
- (3)  $I_d = \frac{V_0}{\omega C} \sin \omega t$
- (4)  $I_d = V_0 \omega C \sin \omega t$


**Answer: (1)**

5. A thick current carrying cable of radius 'R' carries current 'I' uniformly distributed across its cross-section. The variation of magnetic field B(r) due to the cable with the distance 'r' from the axis of the cable is represented by:


(1)




(2)



(3)



(4)



**Answer: (3)**

6. A convex lens 'A' of focal length 20 cm and a concave lens 'B' of focal length 5 cm are kept along the same axis with a distance 'd' between them. If a parallel beam of light falling on 'A' leaves 'B' as a parallel beam, then the distance 'd' in cm will be:

- (1) 25
- (2) 15
- (3) 50
- (4) 30

7. An electromagnetic wave of wavelength ' $\lambda$ ' is incident on a photosensitive surface of negligible work function. If 'm' mass is of photoelectron emitted from the surface has de Broglie wavelength  $\lambda_d$  then:

(1)  $\lambda = \left(\frac{2m}{hc}\right)\lambda_d^2$

$$(2) \lambda_d = \left( \frac{2mc}{h} \right) \lambda^2$$

$$(3) \lambda = \left( \frac{2mc}{h} \right) \lambda_d^2$$

$$(4) \lambda = \left( \frac{2h}{mc} \right) \lambda_d^2$$

**Answer: (3)**


**8. Column- I** give certain physical terms associated with flow of current through a metallic conductor.

**Column- II** gives some mathematical relations involving electrical quantities. Match **Column- I** and **Column- II** with appropriate relations

<b>Column- I</b>	<b>Column- II</b>
(A) Drift Velocity	(P) $\frac{m}{ne^2 \rho}$
(B) Electrical Resistivity	(Q) $nev_d$
(C) Relaxation Period	(R) $\frac{eE}{m} \tau$
(D) Current Density	(S) $\frac{E}{J}$
(1) (A)-(R), (B)-(S), (C)-(P), (D)-(Q)	
(2) (A)-(R), (B)-(S), (C)-(Q), (D)-(P)	
(3) (A)-(R), (B)-(P), (C)-(S), (D)-(Q)	
(4) (A)-(R), (B)-(Q), (C)-(S), (D)-(P)	

**Answer: (1)**

**9.** A radioactive nucleus  $\frac{A}{Z}X$  undergoes spontaneous decay in the sequence



possible decay particles in the sequence are:

- (1)  $\alpha, \beta^-, \beta^+$
- (2)  $\alpha, \beta^+, \beta^-$
- (3)  $\beta^+, \alpha, \beta^-$
- (4)  $\beta^-, \alpha, \beta^+$

**Answer: (3)**

10. The effective resistance of a parallel connection that consists of four wires of equal length, equal area of cross-section and same material is  $0.25 \Omega$ . What will be the effective resistance if they are connected in series?

- (1)  $0.25 \Omega$
- (2)  $0.5 \Omega$
- (3)  $1 \Omega$
- (4)  $4 \Omega$

**Answer: (4)**

11. A particle is released from height  $S$  from the surface of the Earth. At a certain height its kinetic energy is three times its potential energy. The height from the surface of earth and the speed of the particle at that instant are respectively.

- (1)  $\frac{S}{4}, \frac{3gS}{2}$
- (2)  $\frac{S}{4}, \frac{\sqrt{3gS}}{2}$
- (3)  $\frac{S}{2}, \frac{\sqrt{3gS}}{2}$
- (4)  $\frac{S}{4}, \sqrt{\frac{3gS}{2}}$

**Answer: (4)**

12. The half-life of a radioactive nuclide is 100 hours. The fraction of original activity that will remain after 150 hours would be:

- (1)  $1/2$
- (2)  $\frac{1}{2\sqrt{2}}$
- (3)  $\frac{2}{3}$
- (4)  $\frac{2}{3\sqrt{2}}$

**Answer: (2)**

13. A cup of coffee cools from  $90^\circ\text{C}$  to  $80^\circ\text{C}$  in  $t$  minutes, when the room temperature is  $20^\circ\text{C}$ . The time taken by a similar cup of coffee to cool from  $80^\circ\text{C}$  to  $60^\circ\text{C}$  at a room temperature same at  $20^\circ\text{C}$  is:

- (1)  $\frac{13}{10}t$
- (2)  $\frac{13}{5}t$
- (3)  $\frac{10}{13}t$
- (4)  $\frac{5}{13}t$

**Answer: (2)**

14. The number of photons per second on an average emitted by the source of monochromatic light of wavelength 600 nm, when it delivers the power of  $3.3 \times 10^{-3}$  watt will be: ( $h = 6.6 \times 10^{-34}$  Js)

- (1)  $10^{18}$
- (2)  $10^{17}$
- (3)  $10^{16}$
- (4)  $10^{15}$

**Answer: (3)**


15. A body is executing simple harmonic motion with frequency 'n' the frequency of its potential energy is:

- (1) n
- (2) 2n
- (3) 3n
- (4) 4n

**Answer: (2)**

16. An infinitely long straight conductor carries a current of 5 A as shown. An electron is moving with a speed of  $10^5$  m/s parallel to the conductor. The perpendicular distance between the electron and the conductor is 20 cm at an instant. Calculate the magnitude of the force experienced by the electron at that instant.

$$\text{Electron } v = 10^5 \text{ m/s}$$



- (1)  $4 \times 10^{-20}$  N
- (2)  $8\pi \times 10^{-20}$  N
- (3)  $4\pi \times 10^{-20}$  N
- (4)  $8 \times 10^{-20}$  N

**Answer: (4)**

17. If force [F], acceleration [A] and time [T] are chosen as the fundamental physical quantities. Find the dimension of energy.

- (1) [F] [A] [T]
- (2) [F] [A] [T<sup>2</sup>]
- (3) [F] [A] [T<sup>-1</sup>]
- (4) [F] [A<sup>-1</sup>] [T]

**Answer: (2)**

18. Match **Column- I** and **Column- II** and choose the **correct** match from the given choice.

Column- I	Column- II
(A) Root mean square speed of gas molecules	(P) $\frac{1}{3}nmv^2$
(B) Pressure exerted	(Q) $\sqrt{\frac{3RT}{M}}$
(C) Average kinetic energy of a molecule	(R) $\frac{5}{2}RT$
(D) Total internal energy of 1 mole of a diatomic gas	(S) $\frac{3}{2}k_B T$

- (1) (A)-(R), (B)-(P), (C)-(S), (D)-(Q)
- (2) (A)-(Q), (B)-(R), (C)-(S), (D)-(P)
- (3) (A)-(Q), (B)-(P), (C)-(S), (D)-(R)
- (4) (A)-(R), (B)-(Q), (C)-(P), (D)-(S)

**Answer: (3)**

19. A small block slides down on a smooth inclined plane, starting from rest at time  $t = 0$ . Let  $S_n$  be the distance travelled by the block in the interval  $t = n - 1$  to  $t = n$ . Then, the ratio

$$\frac{S_n}{S_{n+1}}$$
 is:

- (1)  $\frac{2n-1}{2n}$   
(2)  $\frac{2n-1}{2n+1}$   
(3)  $\frac{2n+1}{2n-1}$   
(4)  $\frac{2n}{2n-1}$

**Answer: (2)**

20. A nucleus with mass number 240 breaks into two fragments each of mass number 120, the binding energy per nucleon on unfragmented nuclei is 7.6 MeV while that of fragments is 8.5 MeV. The total gain in the Binding Energy in the process is:

- (1) 0.9 MeV  
(2) 9.4 MeV  
(3) 804 MeV  
(4) 216 MeV

**Answer: (4)**


21. A screw gauge gives the following readings when used to measure the diameter of a wire  
Main scale reading : 0 mm  
Circular scale reading : 52 divisions

Given that 1 mm on main scale corresponds to 100 divisions on the circular scale. The diameter of the wire from the above data is:

- (1) 0.52 cm  
(2) 0.026 cm  
(3) 0.26 cm  
(4) 0.052 cm

**Answer: (4)**

22. The equivalent capacitance of the combination shown in the figure is:



- (1)  $3C$
- (2)  $2C$
- (3)  $C/2$
- (4)  $3C/2$

**Answer: (2)**

23. A lens of large focal length and large aperture is best suited as an objective of an astronomical telescope since:

- (1) a large aperture contributes to the quality and visibility of the images.
- (2) a large area of the objective ensures better light gathering power.
- (3) a large aperture provides a better resolution.
- (4) all of the above.

**Answer: (3)**

24. Two charge spherical conductors of radius  $R_1$  and  $R_2$  are connected by a wire. Then the ratio of surface charge densities of the spheres ( $\sigma_1 / \sigma_2$ ) is:

- (A)  $\frac{R_1}{R_2}$
- (B)  $\frac{R_2}{R_1}$
- (C)  $\sqrt{\left(\frac{R_1}{R_2}\right)}$
- (D)  $\frac{R_1^2}{R_2^2}$

**Answer: (2)**

25. A spring is stretched by 5 cm by a force 10 N. The time period of the oscillations when a mass of 2 kg is suspended by it is:

- (1) 0.0628 s
- (2) 6.28 s
- (3) 3.14 s
- (4) 0.628 s

**Answer: (4)**

26. For a plane electromagnetic wave propagating in  $x$ -direction, which of the following combination gives the correct possible directions for electric field (E) and magnetic field (B) respectively?

- (1)  $\hat{j} + \hat{k}, \hat{j} + \hat{k}$
- (2)  $-\hat{j} + \hat{k}, -\hat{j} - \hat{k}$
- (3)  $\hat{j} + \hat{k}, -\hat{j} - \hat{k}$
- (4)  $-\hat{j} + \hat{k}, -\hat{j} + \hat{k}$

**Answer: (2)**

27. The escape velocity from the Earth's surface is  $v$ . The escape velocity from the surface of another planet having a radius, four times that of Earth and same mass density is:

- (1)  $v$
- (2)  $2v$
- (3)  $3v$
- (4)  $4v$

**Answer: (4)**

28. In a potentiometer circuit a cell of EMF 1.5 gives balance point at 36 cm length of wire. If another cell EMF 2.5 V replaces the first cell, then at, what length of the wire, the balance point occurs?

- (1) 60 cm
- (2) 21.6 cm
- (3) 64 cm
- (4) 62 cm

**Answer: (1)**

29. The velocity of a small ball of mass  $M$  and density  $d$ , when dropped in a container filled with glycerine becomes constant after some time. If the density of glycerine is  $\frac{d}{2}$ , then the viscous force acting on the ball will be:

- (1)  $\frac{Mg}{2}$
- (2)  $Mg$
- (3)  $\frac{3}{2}Mg$
- (4)  $2Mg$

**Answer: (1)**

30. A parallel plate capacitor has a uniform electric field ' $\vec{E}$ ' in the space between the plates. If the distance between the plates is ' $d$ ' and the area of each plate is ' $A$ ' the energy stored in the capacitor is: ( $\epsilon_0$  = permittivity of free space)

- (1)  $\frac{1}{2}\epsilon_0 E^2$
- (2)  $\epsilon_0 EAd$
- (3)  $\frac{1}{2}\epsilon_0 E^2 Ad$
- (4)  $\frac{E^2 Ad}{\epsilon_0}$

**Answer: (3)**

31. The electron concentration in an n-type semiconductor is the same as hole concentration in a p-type semiconductor. An external field (electric) is applied across each of them. Compare the currents in them.

- (1) current in n-type = current in p-type
- (2) current in p-type > current in n-type
- (3) current in n-type > current in p-type
- (4) No current will flow in p-type, current will only flow in n-type

**Answer: (3)**

32. Consider the following **statement** (A) and **(B)** and identify the **correct** answer.

- (A) A zener diode is connected in reverse bias, when used as a voltage regulator.
  - (B) The potential barrier of p-n junction lies between 0.1 V to 0.3 V.
- (1) (A) and (B) both are correct.

- (2) (A) and (B) both are incorrect.
- (3) (A) is correct and (B) is incorrect.
- (4) (A) is incorrect and (B) is correct.

**Answer: (3)**

**33.** Polar molecules are the molecules:

- (1) having zero dipole moment.
- (2) acquire a dipole moment only in the presence of electric field due to displacement of charges.
- (3) acquire a dipole moment only when magnetic field absent.
- (4) having a permanent electric dipole moment.

**Answer: (4)**

34. If E and G respectively denote energy and gravitational constant, then  $\frac{E}{G}$  has the dimensions

of:

- (1)  $[M^2] [L^{-1}] [T^0]$
- (2)  $[M] [L^{-1}] [T^{-1}]$
- (3)  $[M] [L^0] [T^0]$
- (4)  $[M^2] [L^{-2}] [T^{-1}]$

**Answer: (1)**

35. Water falls from a height of 60 m at the rate of 15 kg/s to operate a turbine. The losses due to frictional force are 10% of the input energy. How much power is generated by the turbine? ( $g = 10 \text{ m/s}^2$ )

- (1) 10.2 kW
- (2) 8.1 kW
- (3) 12.3 kW
- (4) 7.0 kW



**Answer: (2)**

## Section –B (Physics)

36. A car starts from rest and accelerates at  $5 \text{ m/s}^2$ . At  $t = 4\text{s}$ , a ball is dropped out of a window by a person sitting in the car. What is the velocity and acceleration of the ball at  $t = 6 \text{ s}$ ? (Take  $g = 10 \text{ m/s}^2$ )
- (1)  $20 \text{ m/s}$ ,  $5 \text{ m/s}^2$
  - (2)  $20 \text{ m/s}$ ,  $0$
  - (3)  $20\sqrt{2} \text{ m/s}$ ,  $0$
  - (4)  $20\sqrt{2} \text{ m/s}$ ,  $10 \text{ m/s}^2$

**Answer: (4)**

37. For the given circuit, the input digital signals are applied at the terminals A, B and C. What would be the output at the terminal y?




**Answer: (3)**

38. A ball of mass 0.15 kg is dropped from a height 10m, strikes the ground and rebounds to the same height. The magnitude of impulse imparted to the ball is ( $g = 10 \text{ m/s}^2$ ) nearly:
- (1) 0 kg m/s
  - (2) 4.2 kg m/s
  - (3) 2.1 kg m/s
  - (4) 1.4 kg m/s

**Answer: (2)**


39. A uniform rod of length 200 cm and mass 500 g is balanced on a wedge placed at 40 cm mark. A mass of 2 kg is suspended from the rod at 20 cm and another unknown mass 'm' is suspended from the rod at 160 cm mark as shown in the figure. Find the value of 'm' such that the rod is in equilibrium. ( $g = 10 \text{ m/s}^2$ )



- (1)  $\frac{1}{2} \text{ kg}$
- (2)  $\frac{1}{3} \text{ kg}$
- (3)  $\frac{1}{6} \text{ kg}$
- (4)  $\frac{1}{12} \text{ kg}$

**Answer: (4)**

40. A point object is placed at a distance of 60 cm from a convex lens of focal length 30 cm. If a plane mirror were put perpendicular to the principal axis of the lens and at a distance of 40 cm from it, the final image would be formed at a distance of:



- (1) 20 cm from the lens, it would be a real image.
- (2) 30 cm from the lens, it would be a real image.
- (3) 30 cm from the plane mirror, it would be a virtual image.
- (4) 20 cm from the plane mirror, it would be a virtual image.

**Answer: (1)**


41. A step down transformer connected to an ac mains supply of 220 V is made to operate at 11 V, 44 W lamp. Ignoring power losses in the transformer, what is the current in the primary circuit?

- (1) 0.2 A
- (2) 0.4 A
- (3) 2 A
- (4) 4 A

**Answer: (1)**

42. Three resistors having resistance  $r_1$ ,  $r_2$  and  $r_3$  are connected as shown in the given circuit.

The ratio  $\frac{i_3}{i_1}$  of currents in terms of resistance used in the circuit is:



- (1)  $\frac{r_1}{r_2 + r_3}$
- (2)  $\frac{r_2}{r_2 + r_3}$

$$(3) \quad \frac{r_1}{r_1 + r_2}$$

$$(4) \quad \frac{r_2}{r_1 + r_3}$$

**Answer: (2)**

43. In the product

$$\begin{aligned} \vec{F} &= q(\vec{v} \times \vec{B}) \\ &= q \vec{v} \times (B\hat{i} + B\hat{j} + B_0\hat{k}) \end{aligned}$$

For  $q = 1$  and  $\vec{v} = 2\hat{i} + 4\hat{j} + 6\hat{k}$  and

$$\vec{F} = 4\hat{i} - 20\hat{j} + 12\hat{k}$$

What will be the complete expression for  $\vec{B}$

$$(1) \quad -8\hat{i} - 8\hat{j} - 6\hat{k}$$

$$(2) \quad -6\hat{i} - 6\hat{j} - 8\hat{k}$$

$$(3) \quad 8\hat{i} + 8\hat{j} - 6\hat{k}$$

$$(4) \quad 6\hat{i} + 6\hat{j} - 8\hat{k}$$

**Answer: (2)**

44. A particle of mass 'm' is projected with a velocity  $v = kV_e (K < 1)$  from the surface of the earth.

( $V_e$  = escape velocity)

The maximum height above the surface reached by the particle is:

$$(1) \quad R \left( \frac{k}{1-k} \right)^2$$

$$(2) \quad R \left( \frac{k}{1+k} \right)^2$$

$$(3) \quad \frac{R^2 k}{1+k}$$

$$(4) \quad \frac{Rk^2}{1-k^2}$$

**Answer: (4)**

45. Twenty seven drops of same size are charged at 220V each. They combine to form a bigger drop. Calculate the potential of the bigger drop.

- (1) 660 V
- (2) 1320 V
- (3) 1520 V
- (4) 1980 V

**Answer: (4)**

46. A series LCR circuit containing 5.0 H inductor,  $80\mu\text{F}$  capacitor and  $40\ \Omega$  resistor is connected to 230 V variable frequency ac source. The angular frequencies of the source at which power transferred to the circuit is half the power at the resonant angular frequency are likely to be:

- (1) 25 rad/s and 75 rad/s
- (2) 50 rad/s and 25 rad/s
- (3) 46 rad/s and 54 rad/s
- (4) 42 rad/s and 58 rad/s

**Answer: (3)**

47. A uniform conducting wire of length  $12a$  and resistance 'R' is wound up as a current carrying coil in the shape of

- (i) an equilateral triangle of side 'a'.
- (ii) a square of side 'a'

The magnetic dipole moments of the coil in each case respectively are:

- (1)  $\sqrt{3} Ia^2$  and  $3Ia^2$
- (2)  $3Ia^2$  and  $Ia^2$
- (3)  $3Ia^2$  and  $4Ia^2$
- (4)  $4Ia^2$  and  $3Ia^2$

**Answer: (1)**

48. From a circular ring of mass 'M' and radius 'R' an arc corresponding to a  $90^\circ$  sector is removed. The moment of inertia of the remaining part of the ring about an axis passing through the centre of the ring and perpendicular to the plane of the ring is 'K' times  $MR^2$ . Then the value of 'K' is:

- (1)  $\frac{3}{4}$
- (2)  $\frac{7}{8}$

(3)  $\frac{1}{4}$

(4)  $\frac{1}{8}$

**Answer: (1)**

49. Two conducting circular loops of radii  $R_1$  and  $R_2$  are placed in the same plane with their centres coinciding. If  $R_1 \gg R_2$ , the mutual inductance  $M$  between them will be directly proportionally to:

(1)  $\frac{R_1}{R_2}$

(2)  $\frac{R_2}{R_1}$

(3)  $\frac{R_1^2}{R_2}$

(4)  $\frac{R_2^2}{R_1}$

**Answer: (4)**

50. A particle moving in a circle of radius  $R$  with a uniform speed takes a time  $T$  to complete one revolution.

If this particle were projected with the same speed at an angle ' $\theta$ ' to the horizontal, the maximum height attained by it equals  $4R$ . The angle of projection,  $\theta$ , is then given by:

(1)  $\theta = \cos^{-1} \left( \frac{gT^2}{\pi^2 R} \right)^{1/2}$

(2)  $\theta = \cos^{-1} \left( \frac{\pi^2 R}{gT^2} \right)^{1/2}$

(3)  $\theta = \sin^{-1} \left( \frac{\pi^2 R}{gT^2} \right)^{1/2}$

(4)  $\theta = \sin^{-1} \left( \frac{2gT^2}{\pi^2 R} \right)^{1/2}$

**Answer: (4)**

51. Given below are two statements:

**Statement I:**

Aspirin and paracetamol belong to the class of narcotic analgesics.

**Statement II:**


Morphine and Heroin are non-narcotic analgesics. In the light of the above statements, choose the correct answer from the options given below.

- (I) Both statement I and Statement II are true.
- (II) Both statement I and Statement II are false
- (III) Statement I is correct but statement II is false
- (IV) Statement I is incorrect but Statement II is true


**Answer: (2)**

52. The correct structure of 2,6-Dimethyl-dec-4-ene is :


(1)




(2)



(3)



(4)



**Answer: (1)**

53.  $\text{BF}_3$  is planar and electron deficient compound. Hybridization and number of electrons around the central atom, respectively are:

- (a)  $\text{sp}^3$  and 4

- (b)  $sp^3$  and 6
- (c)  $sp^2$  and 6
- (d)  $sp^2$  and 8

**Answer: (4)**

54. Noble gases are named because of their inertness towards reactivity an incorrect statement about them:
- (1) Noble gases are sparingly soluble in water
  - (2) Noble gases have very high melting and boiling point.
  - (3) Noble gases have weak dispersion forces.
  - (d) Noble gases have large positive values of electron gain enthalpy.

**Answer: (2)**

55. The molar conductance of NaCl, HCl and  $CH_3COONa$  at infinite dilution are 126.45, 426.16 and  $91.0 \text{ S cm}^2 \text{ mol}^{-1}$  respectively. The molar conductance of  $CH_3COOH$  at infinite dilution is Choose the right option for your answer.
- (1)  $201.28 \text{ S cm}^2 \text{ mol}^{-1}$
  - (2)  $390.71 \text{ S cm}^2 \text{ mol}^{-1}$
  - (3)  $698.28 \text{ S cm}^2 \text{ mol}^{-1}$
  - (4)  $540.48 \text{ S cm}^2 \text{ mol}^{-1}$

**Answer: (2)**

56. The right option for statement "Tyndall effect is exhibited by" is:
- (1) NaCl solution
  - (2) Glucose solution
  - (3) Starch solution
  - (4) Urea solution

**Answer: (3)**

57. The RBC deficiency is deficiency disease of:
- (1) Vitamin  $B_{12}$
  - (2) Vitamin  $B_6$
  - (3) Vitamin  $B_1$
  - (4) Vitamin  $B_2$

58. Dihedral angle of least stable conformer of ethane is:

- (1)  $120^\circ$
- (2)  $180^\circ$
- (3)  $60^\circ$
- (4)  $0^\circ$

**Answer: (4)**

59. The incorrect statement among the following is:

- (1) Actinoid contraction is greater for element to element than Lanthanoid contraction.
- (2) Most of the trivalent Lanthanoid ions are colorless in the solid state.
- (3) Lanthanoids are good conductors of heat and electricity.
- (4) Actinoids are highly reactive metals, especially when finely divided.

**Answer: (2)**

60. The major product formed in dehydrohalogenation reaction of 2-Bromo pentane is Pent-2-ene. This product formation is based on?

- (1) Saytzeffs Rule
- (2) Hund's Rule
- (3) Hofmann Rule
- (d) Hucker's Rule

**Answer: (1)**

61. Which one among the following is the correct option for right relationship between  $C_p$  and  $C_v$  for one mole of ideal gas?

- (1)  $C_p + C_v = R$
- (2)  $C_p - C_v = R$
- (3)  $C_p = RC_v$
- (4)  $C_v = RC_p$


**Answer: (2)**

62. Which one fo the following polymers is prepared by addition polymerization?

- (1) Teflon
- (2) Nylon-66
- (3) Novolac
- (4) Dacron

**Answer: (1)**

63. What is the IUPAC name of the organic compound formed in the following chemical reaction?



- (1) 2-methylpropan-2-ol
- (2) pentan-2-ol
- (3) pentan-3-ol
- (4) 2-methylbutan-2-ol

**Answer: (4)**

64. Match List – I with List – II

List-I	List-II
(a) $PCl_5$	(i) Square pyramidal
(b) $SF_6$	(ii) Trigonal planar
(c) $BrF_5$	(iii) Octahedral
(d) $BF_3$	(iv) Trigonal bipyramidal

Choose the **correct** answer from the options given below:

- (1) (a)-(iv), (b)-(iii), (c)-(i), d-(ii)
- (2) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i)
- (3) (a)-(iii), (b)-(i), (c)-(iv), (d)-(ii)
- (4) (a)-(iv), (b)-(iii), (c)-(ii), (d)-(i)






**Answer: (1)**

65. Which one of the following methods can be used to obtain highly pure metal which is liquid at room temperature?

- (1) Electrolysis
- (2) Chromatography
- (3) Distillation
- (4) Zone refining

**Answer: (3)**

66. The major product of the following chemicals reaction is:



**Answer: (1)**

67. Tritium a radioactive isotope of hydrogen, emits which of the following particles?

- (1) Beta ( $\beta^-$ )
- (2) Alpha ( $\alpha$ )
- (3) Gamma ( $\gamma$ )
- (d) Neutron(n)

**Answer: (1)**

68. The correct sequence of bond enthalpy of 'C-X' bond is:

- (1)  $CH_3 - F < CH_3 - Cl < CH_3 - Br < CH_3 - I$
- (2)  $CH_3 - F > CH_3 - Cl > CH_3 - Br > CH_3 - I$
- (3)  $CH_3 - F < CH_3 - Cl > CH_3 - Br > CH_3 - I$
- (4)  $CH_3 - Cl > CH_3 - F > CH_3 - Br > CH_3 - I$

**Answer: (2)**

69. Right option for the number of tetrahedral and octahedral voids in hexagonal primitive unit cell are:

- (1) 8, 4
- (2) 6, 12
- (3) 2, 1
- (4) 12, 6

**Answer: (4)**


70. Which of the following reactions is the metal displacement reaction? Choose the right option.,

- (1)  $2KClO_3 \xrightarrow{\Delta} 2KCl + 3O_2$
- (2)  $Cr_2O_3 + 2Al \xrightarrow{\Delta} Al_2O_3 + 2Cr$
- (3)  $Fe + 2HCl \rightarrow FeCl_2 + H_2 \uparrow$
- (4)  $2Pb(NO_3)_2 \rightarrow 2PbO + 4NO_2 + O_2 \uparrow$


**Answer: (2)**

71. Choose the correct option for graphical representation of Boyle's law, which shows a graph of pressure vs. volume of a gas at different temperatures:


(1)




(2)



(3)



(4)



Answer: (4)

72. The  $pK_b$  of dimethylamine and  $pK_a$  of acetic acid are 3.27 and 4.77 respectively at T(K).  
The correct option for the pH of dimethylammonium acetate solution is:

- (1) 8.50
- (2) 5.50
- (3) 7.75
- (4) 6.25

**Answer: (3)**

73. Among the following alkaline earth metal halides, one which is covalent and soluble in organic solvent is:

- (1) Calcium chloride
- (2) Strontium chloride
- (3) Magnesium chloride
- (4) Beryllium chloride

**Answer: (4)**

74. The maximum temperature that can be achieved in blast furnace is:

- (a) upto 1200K
- (2) upto 2200K
- (3) upto 1900K
- (4) upto 5000K

**Answer: (2)**

75. Ethylene diaminetetraacetate (EDTA) ion is:

- (1) Hexadentate ligand with four "O" and two "N" donor atoms
- (2) Unidentate ligand
- (3) Bidentate ligand with two "N" donor atoms
- (4) Tridentate ligand with three "N" donor atoms

**Answer: (1)**

76. The following solutions were prepared by dissolving 10 g of glucose ( $C_6H_{12}O_6$ ) in 250 ml of water ( $P_1$ ), 10 g of urea  $CH_4N_2O$  in 250 ml of water ( $P_2$ ) and 10 g of sucrose

( $C_{12}H_{22}O_{11}$ ) in 250 ml of water ( $P_3$ ). The right option for the decreasing order of osmotic pressure of these solutions is:

- (1)  $P_2 > P_1 > P_3$

- (2)  $P_2 > P_2 > P_3$
- (3)  $P_2 > P_3 > P_1$
- (4)  $P_3 > P_1 > P_2$

**Answer: (1)**

**77. Statement I:**

Acid strength increase in the order given as  $\text{HF} \ll \text{HCl} \ll \text{HBr} \ll \text{HI}$ .

**Statement II:**

As the size of the elements F, Cl, Br, I increase down the group, the bond strength of HF, HCl, HBr and HI decrease and so the acid strength increase.

In the light of the above statements, choose the correct answer from the options given below.

- (1) Both statement I and Statement II are true.
- (2) Both statement I and statement II are false
- (3) Statement I is correct but statement II is false
- (4) Statement I is incorrect but statement II is true

**Answer: (1)**


78. The structure of beryllium chloride in solid state and vapour phase are:

- (1) Chain and dimer, respectively
- (2) Linear in both
- (3) Dimer and Linear, respectively
- (4) Chain in both


**Answer: (1)**

79. For a reaction  $\text{A} \rightarrow \text{B}$ , enthalpy of reaction is  $-4.2 \text{ kJ mol}^{-1}$  and enthalpy of activation is  $9.6 \text{ kJ mol}^{-1}$ . The correct potential energy profile for the reaction is shown in option.


- (1)




(2)



(3)



(4)



**Answer: (2)**

80. Zr( $Z=40$ ) and Hf( $Z=72$ ) have similar atomic and ionic radii because of:

- (1) belonging to same group
- (2) diagonal relationship
- (3) lanthanoid contraction
- (4) having similar chemical properties

**Answer: (3)**

81. A particular station of all India Radio, New Delhi broadcasts on a frequency of 1,368 kHz (kilohertz). The wavelength of the electromagnetic radiation emitted by the transmitter is: [speed of light  $c = 3.0 \times 10^8 \text{ ms}^{-1}$ ]

- (1) 219.3 m
- (2) 219.2 m
- (3) 2192 m
- (4) 21.92 cm

**Answer: (1)**

82. An organic compound contains 78% (by wt) carbon and remaining percentage of hydrogen. The right option for the empirical formula of this compound is: [Atomic wt. of C is 12, H is 1]

- (1) CH
- (2) CH<sub>2</sub>
- (3) CH<sub>3</sub>
- (4) CH<sub>4</sub>

**Answer: (3/4)**


83. The compound which shows metamerism is:

- (1) C<sub>5</sub>H<sub>12</sub>
- (2) C<sub>3</sub>H<sub>8</sub>O
- (3) C<sub>3</sub>H<sub>6</sub>O
- (4) C<sub>4</sub>H<sub>10</sub>O


**Answer: (4)**

84. Identify the compound that will react with Hinsberg's reagent to give a solid which dissolves in alkali.


(1)




(2)



(3)



(4)



**Answer: (3)**

85. The correct option for the number of body central unit cells in all 14 types of Bravais lattice unit cells is:

- (1) 7
- (2) 5
- (3) 2
- (4) 3

**Answer: (4)**

86. Match List- I with List-II

List-I	List-II
(a) $[Fe(CN)_6]^{3-}$	(i) 5.92 BM
(b) $[Fe(H_2O)_6]^{3+}$	(ii) 0 BM
(c) $[Fe(CN)_6]^{4-}$	(iii) 4.90 BM
(d) $[Fe(H_2O)_6]^{2+}$	(iv) 1.73 BM


Choose the correct answer from the options given below:

- (1) (a)–(iv), (b)–(ii), (c)–(i), (d)–(iii)
- (2) (a)–(ii), (b)–(iv), (c)–(iii), (d)–(i)
- (3) (a)–(i), (b)–(iii), (c)–(iv), (d)–(ii)
- (4) (a)–(iv), (b)–(i), (c)–(ii), (d)–(iii)

87. Choose the correct option for the total pressure (in atm) in a mixture of 4 g  $O_2$  and 2 g  $H_2$  confined in a total volume of one litre at  $0^\circ C$  is:

- (1) 2.518
- (2) 2.602
- (3) 25.18
- (d) 26.02

**Answer: (3)**



Consider the above reaction and identify the missing reagent/chemical.

- (1)  $B_2H_6$
- (2) Red Phosphorus
- (3) CaO
- (4) DIBAL-H

**Answer: (3)**

89. For irreversible expansion of an ideal gas under isothermal condition, the correct option is:

- (1)  $\Delta U = 0, \Delta S_{total} = 0$
- (2)  $\Delta U \neq 0, \Delta S_{total} \neq 0$
- (3)  $\Delta U = 0, \Delta S_{total} \neq 0$
- (4)  $\Delta U \neq 0, \Delta S_{total} = 0$

**Answer: (3)**

90. In which one of the following arrangements the given sequence is not strictly according to the properties indicated against it?

- (1)  $HF < HCl < HBr < HI$  : Increasing acidic strength
- (2)  $H_2O < H_2S < H_2Se < H_2Te$  : Increasing  $pK_a$  values
- (3)  $NH_3 < PH_3 < AsH_3 < SBH_3$  : Increasing acidic character
- (4)  $CO_2 < SiO_2 < SnO_2 < PbO_2$  : Increasing oxidizing power

**Answer: (2)**

91. The molar conductivity of 0.007 M acetic acid is  $20 \text{ S cm}^2 \text{ mol}^{-1}$ . What is the dissociation constant of acetic acid? Choose the correct option.

$$\left[ \begin{array}{l} \wedge_{H^+}^\circ = 350 \text{ s cm}^2 \text{ mol}^{-1} \\ \wedge_{CH_3COO^-}^\circ = 50 \text{ s cm}^2 \text{ mol}^{-1} \end{array} \right]$$


- (1)  $1.75 \times 10^{-4} \text{ mol L}^{-1}$
- (2)  $2.50 \times 10^{-4} \text{ mol L}^{-1}$
- (3)  $1.75 \times 10^{-5} \text{ mol L}^{-1}$
- (4)  $2.50 \times 10^{-5} \text{ mol L}^{-1}$

92. The slope of Arrhenius Plot  $\left( \ln k \text{ vs } \frac{1}{T} \right)$  of first order reaction is  $-5 \times 10^3 \text{ K}$ . The value of  $E_a$  of the reaction is. Choose the correct option for your answer.  
 [Given  $R = 8.314 \text{ JK}^{-1} \text{ mol}^{-1}$ ]



- (1)  $41.5 \text{ kJ mol}^{-1}$
- (2)  $83.0 \text{ kJ mol}^{-1}$
- (3)  $166 \text{ kJ mol}^{-1}$
- (4)  $-83 \text{ kJ mol}^{-1}$



**Answer: (1)**

93. The product formed in the following chemical reaction is:



(1)









**Answer: (4)**

94. Match List-I with List-II

List-I

List-II



Choose the **correct** answer from the options given below:

- (1) (a)-(iv), (b)-(i), (c)-(ii), (d)-(iii)
- (2) (a)-(iii), (b)-(ii), (c)-(i), (d)-(iv)
- (3) (a)-(i), (b)-(iv), (c)-(iii), (d)-(ii)
- (4) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i)

**Answer: (4)**

95. Which of the following molecules is non-polar in nature?

- (a)  $\text{POCl}_3$
- (b)  $\text{CH}_2\text{O}$
- (c)  $\text{SbCl}_5$
- (d)  $\text{NO}_2$

**Answer: (3)**

96. From the following pairs of ions which one is not an iso-electronic pair?

- (1)  $O^{2-}, F^{-}$
- (2)  $Na^{+}, Mg^{2+}$
- (3)  $Mn^{2+}, Fe^{3+}$
- (4)  $Fe^{2+}, Mn^{2+}$

**Answer: (4)**

97. The correct for the value of vapour pressure of a solution at  $45^{\circ}C$  with benzene to octane in molar ratio 3:2 is:

[At  $45^{\circ}C$  vapour pressure of benzene is 280 mm Hg and that of octane is 420 mm Hg. Assume Ideal gas]

- (1) 160 mm of Hg
- (2) 168 mm of Hg
- (3) 336 mm of Hg
- (d) 350 mm of Hg


**Answer: (3)**

98. Match List-I with List-II

- (a)  $2SO_2(g) + O_2(g) \rightarrow 2SO_3(g)$  (i) Acid rain
- (b)  $HOCl(g) \xrightarrow{h\nu}$  (ii) Smog
- (c)  $\overset{\cdot}{O}H + \overset{\cdot}{C}l$  (iii) Ozone depletion
- (d)  $NO_2(g) \xrightarrow{h\nu} NO(g) + O(g)$  (iv) Tropospheric pollution

**Answer: (3)**






99. The reagent 'R' in the given sequence of chemical reaction is:



- (1)  $\text{H}_2\text{O}$
- (2)  $\text{CH}_3\text{CH}_2\text{OH}$
- (3)  $\text{HI}$
- (4)  $\text{CuCN/KCN}$

**Answer: (2)**

100. The intermediate compound 'X' in the following chemical reaction is:



**Answer: (1)**

**101.** In spite of interspecific competition in nature which mechanism the competing species might have evolved survival?

- (1) Resource Partitioning
- (2) Competitive release
- (3) Mutualism
- (4) Predation

**Answer: (1)**

**102.** Match List- I with List II

List I		List II	
(a)	Cells with active cell division capacity	(i)	Vascular tissues
(b)	Tissue having all cells similar in structure and function	(ii)	Meristematic tissue
(c)	Tissue having different types of cells	(iii)	Sclereids
(d)	Dead cells with highly thickened walls and narrow lumen	(iv)	Simple tissue

Select the **correct** answer from the options given below

- |     |       |       |       |       |
|-----|-------|-------|-------|-------|
| (a) | (b)   | (c)   | (d)   |       |
| (1) | (ii)  | (iv)  | (i)   | (iii) |
| (2) | (iv)  | (iii) | (ii)  | (i)   |
| (3) | (i)   | (ii)  | (iii) | (iv)  |
| (4) | (iii) | (ii)  | (iv)  | (i)   |

**Answer: (1)**

**103.** During the purification process for recombinant DNA technology, addition of chilled ethanol precipitates out:

- (1) RNA
- (2) DNA
- (3) Histones
- (4) Polysaccharides

**Answer: (2)**

104. Match List-I with List II

List I		List II	
(a)	Cohesion	(i)	More attraction in liquid phase
(b)	Adhesion	(ii)	Mutual attraction among water, molecules
(c)	Surface tension	(iii)	Water loss in liquid phase
(d)	Guttation	(iv)	Attraction towards polar surfaces

Choose the **correct** answer from the options given below

- |     |       |       |      |       |
|-----|-------|-------|------|-------|
| (a) | (b)   | (c)   | (d)  |       |
| (1) | (ii)  | (iv)  | (i)  | (iii) |
| (2) | (iv)  | (iii) | (ii) | (i)   |
| (3) | (iii) | (i)   | (iv) | (ii)  |
| (4) | (ii)  | (i)   | (iv) | (iii) |

**Answer: (1)**

105. The term used for transfer of pollen grains from anthers of one plant to stigma of a different plant which during pollination, brings, genetically different types of pollen grains to stigma is:

- (1) Xenogamy
- (2) Geitonogamy
- (3) Chasmogamy
- (4) Cleistogamy

106. Which of the following stages are meiosis involves division of centromere?

- (1) Metaphase I
- (2) Metaphase
- (3) Anaphase II
- (4) Telopahse II

**Answer: (1)**

106. Which of the following stages are meiosis involves division of centromere?

- (1) Metaphase I
- (2) Metaphase
- (3) Anaphase II
- (4) Telopahse II

**Answer: (3)**

107. Which of the following is a **correct** sequence of steps in a PCR (Polymerase Chain Reaction)?

- (1) Denaturation, Annealing, Extension
- (2) Denaturation, Extension, Annealing
- (3) Extension, Denaturation, Annealing
- (4) Annealing, Denaturation, Extension

**Answer: (1)**

108. Gemmae are present in:

- (1) Mosses
- (2) Pteridophytes
- (3) Some Symnosperms
- (4) Some Liverworts

**Answer: (4)**

109. The production of gametes by the parents, formation of zygotes, the  $F_1$  and  $F_2$  plants, can be understood from a diagram called:

- (1) Bullent square
- (2) Punch square
- (3) Punnett square
- (4) Net Square

**Answer: (3)**

110. The factor that leads to Founder effect in a population is:

- (1) Natural Selection
- (2) Genetic recombination
- (3) Mutation
- (4) Genetic drift

**Answer: (4)**

111. Genera like *selaginella* and *Salvinia* produce two kinds of Spores . Such plants are known as :

- (1) Homosorus
- (2) Heterosorus
- (3) Homosporous
- (4) Heterosporous

**Answer: (4)**

112. Plants follow different pathways in response to environment or phases of life to form different kinds of structures. This ability is called:

- (1) Elasticity
- (2) Flexibiity
- (3) Plasticity
- (4) Maturity


**Answer: (3)**

113. Which of the following are **not** secondary metabolites in plants?

- (1) Morphine, codeine
- (2) Amino acids, glucose
- (3) Vinblastin, curcumin
- (4) Rubber, gums

**Answer: (2)**

114. Complete the flow chart on central dogma.



- (1) (a)- Replication; (b)-Transparency;  
(c)-Transduction;(d) -Protein
- (2) (a)-Translation;(b)-Replication;  
(c)-Transcription;(d)-Transduction;
- (3) (a)-Replication;(b)-Trnscription  
(c)-Translation;(d)-Protein
- (4) (a)-Transduction;(b)-Trnscription  
(c)-Replication;(d)-Protein

**Answer: (3)**

115. When the centromere is situated in the middle of two equal arms of chromosomes, the chromosome is referred as:

- (1) Metacentric
- (2) Telocentric
- (3) Sub-metacentric
- (4) Scrocentric

**Answer: (1)**

116. DNA strands on gel stained with ethidium bromide when viewed under UV radiation, appear as:

- (1) Yellow bands
- (2) Bright orange bands
- (3) Dark red bands
- (4) Bright blue bands

**Answer: (2)**

117. The site of perception of light in plants during photoperiodism is:

- (1) Shoot apex
- (2) Stem
- (3) Axillary bud
- (4) leaf

**Answer: (4)**

118. When tagging involving gene amplification is attempted in an individual's tissue to treat disease, it is known as:

- (1) Biopiracy
- (2) Gene therapy
- (3) Molecular diagnosis
- (4) Safety testing

**Answer: (2)**

119. Which of the following plants is monoecious?

- (1) Carica Papaya
- (2) Chara
- (3) Marchantia polymorpha
- (4) Cycas circinalis

**Answer: (2)**

120. Which of the following is **not** an application of PCR (Polymerase Chain Reaction)?

- (1) Molecular diagnosis
- (2) Gene amplification
- (3) Purification of isolated protein

(4) Detection of gene mutation

**Answer: (3)**

121. Match **List-I** with **List-II**

List I		List II	
(a)	Cristae	(i)	Primary constriction in chromosome
(b)	Thylakoids	(ii)	Disc-shaped sacs in Golgi apparatus
(c)	Centromere	(iii)	Infolding in mitochondria
(d)	Cisternar	(iv)	Flattened membranous sacs in stroma of plastids

Choose the **correct** answer from the options given below.

- |     |       |       |       |      |
|-----|-------|-------|-------|------|
|     | (a)   | (b)   | (c)   | (d)  |
| (1) | (iv)  | (iii) | (ii)  | (i)  |
| (2) | (i)   | (iv)  | (iii) | (ii) |
| (3) | (iii) | (iv)  | (i)   | (ii) |
| (4) | (ii)  | (iii) | (iv)  | (i)  |

**Answer: (3)**

122. Diadelphous stamens are found in:

- (1) China rose
- (2) Citrus
- (3) Pea
- (4) China rose and Citrus

123. Match **List-I** and **List-II**

List I		List II	
(a)	Protoplast fusion	(i)	Totipotency
(b)	Plant tissue culture	(ii)	Pomato
(c)	Meristem culture	(iii)	Some aclones
(d)	Micropropagation	(iv)	Virus free plants

Choose the **correct** answer from the options given below

- |     |       |       |      |       |
|-----|-------|-------|------|-------|
|     | (a)   | (b)   | (c)  | (d)   |
| (1) | (iii) | (iv)  | (ii) | (i)   |
| (2) | (ii)  | (i)   | (iv) | (iii) |
| (3) | (iii) | (iv)  | (i)  | (ii)  |
| (4) | (iv)  | (iii) | (ii) | (i)   |

**Answer: (2)**

124. Amensalism can be represented as:

- (1) Species A(-) ; Species B (0)
- (2) Species A(+); Species B(+)
- (3) Species A(-) ; Species B(-)
- (4) Species A(+); Species B(0)

**Answer: (1)**

125. Which of the following is an **incorrect** statement?

- (1) Mature sieve tube elements possess a conspicuous nucleus and usual cytoplasmic organelles
- (2) Microbodies are present both in plant and animal cells.
- (3) The perinuclear space forms a barrier between the materials present inside the nucleus and that of cytoplasm
- (4) Nuclear pores act as passages for proteins and RNA molecules in both directions between nucleus and cytoplasm.

126. A typical angiosperm embryo sac at maturity is:

- (1) 8-nucleate and 7-celled
- (2) 7-nucleate and 8-celled
- (3) 7-nucleate and 7- celled
- (4) 8-nucleate and 8-celled

**Answer: (1)**

127. Which of the following algae contains mannitol as reserve food material?

- (1) Ectocarpus
- (2) Cracilaria
- (3) Volvox
- (4) Ulothrix

**Answer: (1)**

128 The plant hormone used to destroy weeds in a field is:

- (1) IAA
- (2) NAA
- (3) 2,4-D
- (4) IBA

**Answer: (3)**

129. The amount of nutrients, such as carbon, nitrogen, phosphorus and calcium present in the soil at any given time is referred as :

- (1) Climax
- (2) Climax community
- (3) Standing state
- (4) Standing crop

**Answer: (3)**

130. Mutations in plant cells can be induced by:

- (1) Kinetin
- (2) Infrared rays
- (3) Gamma rays
- (4) Zeatin

**Answer: (3)**

131. Which of the following statements is **not** correct?

- (1) Pyramid of biomass in sea is generally inverted
- (2) Pyramid of biomass in sea is generally upright
- (4) Pyramid of numbers in a grassland ecosystem is upright

**Answer: (2)**

132. In the equation  $GPP - R = NPP$

- (1) Radiant energy
- (2) Retardatin factor
- (3) Environment factor
- (4) Respiration losses

**Answer: (4)**

133. Which of the following algae produce Carrageen?

- (1) Green algae
- (2) Brown algae
- (3) Red algae
- (4) Blue-green algae

**Answer: (3)**

134. The first stable product of CO<sub>2</sub> fixation in sorghum is:

- (1) Pyruvic acid
- (2) Oxaloacetic acid
- (3) Succinic acid
- (4) Phosphoglyceric acid

**Answer: (2)**

135. Match **List-I** with **List-II**

List I		List II	
(a)	Lenticels	(i)	Phellogen
(b)	Cork cambium	(ii)	Suberin deposition
(c)	Secondary cortex	(iii)	Exchange of gases
(d)	Cork	(iv)	Phelloderm

Choose the **correct** answer from the options given below.

- |     |       |       |       |       |
|-----|-------|-------|-------|-------|
|     | (a)   | (b)   | (c)   | (d)   |
| (1) | (iv)  | (i)   | (iii) | (ii)  |
| (2) | (iii) | (i)   | (iv)  | (ii)  |
| (3) | (ii)  | (iii) | (iv)  | (i)   |
| (4) | (iv)  | (ii)  | (i)   | (iii) |

**Answer: (2)**

## Sections – B (Biology : Botany)

136. Which of the following statements is **incorrect**?

- (1) During aerobic respiration, role of oxygen is limited to the terminal stage.
- (2) In ETC (Electron Transport Chain), One molecule of  $\text{NADH} + \text{H}^+$  gives rise to 2 ATP molecules and  $\text{FADH}_2$  gives rise to 3 ATP molecules.
- (3) ATP is synthesized through complex V
- (4) Oxidation reduction reactions produce proton gradient in respiration

**Answer: (2)**

137. Match **Column-I** with **Column-II**.

Column-I	Column-II
(a) $\% \frac{\sigma}{\phi} K_{(5)} C_{1+2+(2)} A_{(9)+1} \underline{G}_1$	(i) Brassicaceae
(b) $\oplus \frac{\sigma}{\phi} K_{(5)} \overline{C_{(5)}} A_5 \underline{G}_2$	(ii) Liliaceae
(c) $\oplus \frac{\sigma}{\phi} \overline{P_{(3+3)}} A_{3+3} \underline{G}_{(3)}$	(iii) Fabaceae
(d) $\oplus \frac{\sigma}{\phi} K_{2+2} C_4 A_{2-4} \underline{G}_{(2)}$	(iv) Solanaceae

Select the **correct** answer from the options given below.

	(a)	(b)	(c)	(d)
(1)	(iii)	(iv)	(ii)	(i)
(2)	(i)	(ii)	(iii)	(iv)
(3)	(ii)	(iii)	(iv)	(i)
(4)	(iv)	(ii)	(i)	(iii)

**Answer: (1)**

138. Match **List-I** with **List-II**

List I		List II	
(a)	S phase	(i)	Proteins are synthesized
(b)	$G_2$ Phase	(ii)	Inactive phase
(c)	Quiescent Stage	(iii)	Interval between mitosis and initiation of DNA replication
(d)	$G_1$ Phase	(iv)	DNA replication

Choose the **correct** answer from the options given below

- |     | (a)   | (b)  | (c)   | (d)   |
|-----|-------|------|-------|-------|
| (1) | (iii) | (ii) | (i)   | (iv)  |
| (2) | (iv)  | (ii) | (iii) | (i)   |
| (3) | (iv)  | (i)  | (ii)  | (iii) |
| (4) | (ii)  | (iv) | (iii) | (i)   |

**Answer: (3)**

139. Plasmid pBR322 has PstI restriction enzyme site within gene amp<sup>R</sup> that confers ampicillin resistance. If this enzyme is used for inserting gene for  $\beta$ -galactoside production and the recombinant plasmid is inserted in an E coli strains

- (1) It will not be able to confer ampicillin resistance to the host cell.
- (2) the transformed cell will have the ability to resist ampicillin as well as produce  $\beta$ -galactoside
- (3) It will lead to lysis of host cell.
- (4) It will be able to produce a novel protein with dual ability

**Answer: (1)**

140. Identify the correct statement.

- (1) In capping, Methyl guanosine triphosphate is added to the 3' end of hnRNA
- (2) RNA polymerase binds with Rho factor to terminate the process of transcription in bacteria
- (3) The coding strand in a transcription unit is copied to an mRNA.
- (4) Split gene arrangement is characteristics of prokaryotes.

**Answer: (2)**

141. Now a days it is possible to detect the mutated gene causing cancer by allowing radioactive probe to hybridise its complementary DNA in a clone of cells, followed by its detection using autoradiography because:

- (1) mutated gene partially appears on a photographic film.
- (2) mutated gene completely and clearly appears on a photographic film.
- (3) mutated gene does not appear on a photographic film as the probe has no complementarity with it.
- (4) mutated gene does not appear on photographic film as the probe has complementarity with it.

**Answer: (3)**

142. In the exponential growth equation

$$N_t = N_0 e^{rt}, e \text{ represents}$$

- (1) The base of number logarithms
- (2) The base of exponential logarithms
- (3) The base of natural logarithms
- (4) The base of geometrics logarithms

**Answer: (3)**

143. Select the correct pair.

- (1) Large colorless empty cells in the epidermis of grass leaves – Subsidiary cells
- (2) In dicot leaves, vascular bundles are surrounded by large thick walled cells – Interfascicular cambium
- (3) Cells of medullary ray that form part of cambial ring-Interfascicular cambium
- (4) Loose parenchyma cells rupturing the epidermis and forming a lens shaped opening in bark – Spongy parenchyma

**Answer: (3)**

144. In some members of which of the following pairs of families, pollen grains retain their variability for months after release?

- (1) Poaceae ; Rosaceae
- (2) Poaceae ; Leguminosae
- (3) Poaceae ; Solanaceae
- (4) Rosaceae ; Leguminosae

**Answer: (4)**

145. What is the role of RNA polymerase III in the process of transcription in eukaryotes?

- (1) Transcribes rRNAs (28S, 18S and 5.8S)
- (2) Transcribes tRNA, 5s rRNA and snRNA
- (3) Transcribes precursor of mRNA
- (4) Transcribes only snRNAs

**Answer: (2)**

146. Which of the following statement is incorrect?

- (1) Both ATP and NADPH+H<sup>+</sup> are synthesized during non cyclic photophosphorylation.
- (2) Stroma lamellae have PS I only and lack NADP reductase.
- (3) Grana lamellae have both PS I and PS II

(4) Cyclic photophosphorylation involves both PS I and PS II.

**Answer: (4)**

147. Which of the following statement is correct?

- (1) Fusion of two cells is called Karyogamy.
- (2) Fusion of protoplasts between two motile on non –motile gametes is called plasmogamy.
- (3) Organisms that depend on living plznts are called saprophytes.
- (4) Some of the organisms can fix atmospheric nitrogen in specialized cells called sheath cells.

**Answer: (2)**

148. Match List – I with List – II

List I		List II	
(a)	Protein	(i)	C = C double bonds
(b)	Unsaturated fatty acid	(ii)	Phosphodiester bonds
(c)	Nucleic acid	(iii)	Glycosidic bonds
(d)	Polysaccharide	(iv)	Peptide bonds

Choose the **correct** answer from the options given below

- |     |      |       |       |       |
|-----|------|-------|-------|-------|
|     | (a)  | (b)   | (c)   | (d)   |
| (1) | (iv) | (i)   | (ii)  | (iii) |
| (2) | (i)  | (iv)  | (iii) | (ii)  |
| (3) | (ii) | (i)   | (iv)  | (iii) |
| (4) | (iv) | (iii) | (i)   | (ii)  |

**Answer: (1)**

149. DNA fingerprinting involves identifying differences in some specific regions in DNA sequence, called as :

- (1) Satellite DNA
- (2) Repetitive DNA
- (3) Single nucleotides
- (4) Polymorphic DNA

**Answer: (2)**

150. Match Column - I with Column – II

Column - I		Column - II	
(a)	Nitrococcus	(i)	Denitrification
(b)	Rhizobium	(ii)	Conversion of ammonia to nitrite
(c)	Thiobacillus	(iii)	Conversion of nitrite to nitrate
(d)	Nitrobacter	(iv)	Conversion of atmospheric nitrogen to ammonia

Choose the **correct** answer from the options given below

- |     |       |       |       |       |
|-----|-------|-------|-------|-------|
| (a) | (b)   | (c)   | (d)   |       |
| (1) | (ii)  | (iv)  | (i)   | (iii) |
| (2) | (i)   | (ii)  | (iii) | (iv)  |
| (3) | (iii) | (i)   | (iv)  | (ii)  |
| (4) | (iv)  | (iii) | (ii)  | (i)   |

**Answer: (1)**

## Section – A ( Biology : Zoology)

151. A specific recognition sequence identified by endonucleases to make cut at specific positions within the DNA is :

- (1) Degerate primer sequence
- (2) Okazaki sequence
- (3) Palindromic Nucleotide sequences
- (4) Poly (A) tail sequence.

**Answer: (3)**

152. The fruit fly has 8 chromosomes (2n) in each cell.

During interphase of Mitosis if the number of chromosomes at G1 Phase is 8, what would be the number of chromosome after S phase?

- (1) 8
- (2) 16
- (3) 4
- (4) 32

**Answer: (1)**

153.. Which one of the following belongs to the family Muscidae?

- (1) Fire Fly
- (2) Grasshopper
- (3) Cockroach
- (4) House Fly

**Answer: (4)**

154. Succus entericus is referred to as :

- (1) Pancreatic Juice
- (2) Intestinal juice
- (3) Gastric Juice
- (4) Chyme

**Answer: (2)**

155. With regard to insulin choose correct options:

- (1) C-peptide is not present in mature insulin.
- (2) The insulin produced by rDNA technology has C-peptide.
- (3) The pro-insulin has C-peptide.
- (4) A-peptide and B-peptide of insulin are interconnected by disulphide bridges.

Choose the correct answer from the options given below:

- (1) (b) and (d) only
- (2) (b) and (c) only
- (3) (a), (c) and (d) only
- (4) (a) and (d) only

**Answer: (3)**

156. Persons with 'AB' blood group are called a 'Universal recipients'. This is due to :

- (1) Absence of antigens A and B on the surface of RBCs
- (2) Absence of antigens A and B in plasma
- (3) Presence of antibodies, anti -A and anti - B on RBCs
- (3) Absence of antibodies, anti -A and anti - B in plasma.

**Answer: (4)**

157. In a cross between a male and female, both heterozygous for sickle cells anaemia gene, what percentage of the progeny will be diseased?

- (1) 50%

- (2) 75%
- (3) 25%
- (4) 100%

**Answer: (3)**

158. Which enzyme is responsible for the conversion of inactive fibrinogens to fibrins?

- (1) Thrombin
- (2) Renin
- (3) Epinephrine
- (4) Thrombokinase

**Answer: (1)**

159. The partial pressures (in mm Hg) of oxygen ( $O_2$ ) and carbondioxide ( $CO_2$ ) at alveoli (the site of diffusion) are:

- (1)  $pO_2 = 104$  and  $pCO_2 = 40$
- (2)  $pO_2 = 40$  and  $pCO_2 = 45$
- (3)  $pO_2 = 95$  and  $pCO_2 = 40$
- (4)  $pO_2 = 159$  and  $pCO_2 = 0.3$

**Answer: (1)**

160. Chronic auto immune disorder affecting neuro muscular junction leading to fatigue, weakening and paralysis of skeletal muscle is called as :

- (1) Arthritis
- (2) muscular dystrophy
- (3) Myasthenia gravis
- (4) Gout

**Answer: (3)**

161. Which is the 'Only enzyme' that has 'Capatibility' to catalyse initiation, Elongation and Termination in the process of transcription in prokaryotes?

- (1) DNA dependent DNA polymerase
- (2) DNA dependent RNA polymerase
- (3) DNA ligase
- (4) DNase

**Answer: (2)**

162. Which of the following RNAs is not required for the synthesis protein?

- (1) mRNA
- (2) tRNA
- (3) rRNA
- (4) siRNA

**Answer: (2)**

163. Which of the following is an example of hormone releasing IUD?

- (1) CuT
- (2) LNG 20
- (3) Cu 7
- (4) Multiload 375

**Answer: (2)**

164. If Adenine make 30% of the DNA molecule, what will be the percentage of thymine, Guanine and Cytosine in it?

- (1) T : 20; G : 30 ; C: 20
- (2) T : 20 ; G : 20 ; C: 20
- (3) T : 30 ; G : 20 ; C: 20
- (4) T : 20 ; G : 25 ; C : 25

**Answer: (3)**

165. Match List – I with List – II

List I		List II	
(a)	Aspergillus niger	(i)	Acetic acid
(b)	Acetobacter aceti	(ii)	Lactic acid
(c)	Clostridium butylicum	(iii)	Citric acid
(d)	Lactobacillus	(iv)	Butyric acid

Choose the **correct** answer from the options given below

- |     |       |       |       |       |
|-----|-------|-------|-------|-------|
|     | (a)   | (b)   | (c)   | (d)   |
| (1) | (iii) | (i)   | (iv)  | (ii)  |
| (2) | (i)   | (ii)  | (iii) | (iv)  |
| (3) | (ii)  | (iii) | (i)   | (iv)  |
| (4) | (iv)  | (ii)  | (i)   | (iii) |

**Answer: (1)**

166. Read the following statements.

- (a) Metagenesis is observed in Helminths.
- (b) Echinoderms are triploblastic and coelomate animals.
- (c) Round worms have organ-system level of body organization.
- (d) Water vascular system is characteristics of Echinoderms

Choose the **correct** answer from the options given below

- (1) (c), (d) and (e) are correct
- (2) (a), (b) and (c) are correct
- (3) (a), (d) and (e) are correct
- (4) (b), (c) and (e) are correct.

**Answer: (4)**

167. Receptors for sperm binding in mammals are present on:

- (1) Corona radiate
- (2) Vitelline membrane
- (3) Perivetellina space
- (4) Zona pellucid

**Answer: (4)**

168. Match List – I with List – II

List I		List II	
(a)	Metamerism	(i)	Coelenterata
(b)	Canal system	(ii)	Ctenophora
(c)	Comb plates	(iii)	Annelida
(d)	Cnidoblasts	(iv)	Porifera

Choose the **correct** answer from the options given below

- (1) (a) (b) (c) (d)
- (2) (iv) (iii) (i) (ii)
- (3) (iii) (iv) (i) (ii)
- (4) ( iv) (i) (ii) (ii)

**Answer: (3)**

169. Erythropoietin hormone which stimulates R.B.C. formation is produced by :

- (1) Alpha cells of pancreas
- (2) The cells of rostral adenohypophysis

- (3) The cells of bone marrow.
- (4) Juxtaglomerular cells of the kidney.

**Answer: (4)**

170. Veneral disease can spread through :

- (a) Using sterile needles
- (b) Transfusion of blood from infected person
- (c) Infected mother to foetus
- (d) Kissing
- (e) Inheritance

Choose the **correct** answer from the options given below

- (1) (a), (b) and (c) only
- (2) (b), (c) and (d) only
- (3) (b) and (c) only
- (4) (a) and (c) only

**Answer: (3)**

171. Which of the following characteristics is incorrect with respect to cockroach?

- (1) A ring of gastric caeca is present at the junction of midgut and indgut.
- (2) Hypopharynx lies within the cavity enclosed by the mouth parts
- (3) In females, 7<sup>th</sup>-9<sup>th</sup> sterna together form a genital pouch.
- (4) 10<sup>th</sup> abdominal segment in both sexes, bears a pair of anal cerci.

**Answer: (1)**

172. Match the following :

List I		List II	
(a)	Physalia	(i)	Pearl oyster
(b)	Limulus	(ii)	Portugese Man of War
(c)	Ancylostoma	(iii)	Living Fossil
(d)	Pinctada	(iv)	Hookworm

Choose the **correct** answer from the options given below

- (1) (a) (b) (c) (d)
- (2) (ii) (iii) (i) (iv)
- (3) (iv) (i) (iii) (ii)
- (4) (ii) (iii) (iv) (i)

- (4) (i) (iv) (iii) (ii)

**Answer: (3)**

173. Which one of the following organisms bears hollow and pneumatic long bones?

- (1) Neophron
- (2) Hemidactylus
- (3) Metaphase
- (4) Ornithorhyncus

**Answer: (later)**

174. The centriole undergoes duplication during :

- (1) S-phase
- (2) Prophase
- (3) Metaphase
- (4) G2 phase

**Answer: (1)**

175. During the process of gene amplification using PCR, if very high temperature is not maintained in the beginning, then which of the following steps of PCR will be affected first?

- (1) Annealing
- (2) Extension
- (3) Denaturation
- (4) Ligation

**Answer: (3)**

176. Which of the following is not an objective of Biofortification in crops?

- (1) Improve protein content
- (2) Improve resistance to diseases
- (3) Improve vitamin content
- (4) Improve micronutrient and mineral content.

**Answer: (2)**

177. Dobson units are used to measure thickness of :

- (1) CFCs

- (2) Stratosphere
- (3) Ozone
- (4) Troposphere

**Answer: (3)**

178. Sphincter of oddi is present at :

- (1) Ileo-caecal junction
- (2) Junction of hepato pancreatic duct and duodenum.
- (3) Gastro-oesophageal junction
- (4) Junction of jejunum and duodenum.

**Answer: (2)**

179. Select the favourable conditions required for the formation of oxyhaemoglobin at the alveoli.

- (1) High  $pO_2$ , low  $pCO_2$ , less  $H^+$ , lower temperature.
- (2) Low  $pO_2$ , high  $pCO_2$ , more  $H^+$ , Higher temperature
- (3) High  $pO_2$ , high  $pCO_2$ , less  $H^+$ , Higher temperature.
- (4) Low  $pO_2$ , low  $pCO_2$ , More  $H^+$ , Higher temperature.

**Answer: (1)**

180. Identify the incorrect pair.

- (1) Alkaloids – Codeine
- (2) Toxin – Abrin
- (3) Lectins – concanavalin A
- (4) Drugs – Ricin

**Answer: (4)**

181. Which of the following statements wrongly represents the nature of smooth muscle?

- (1) These muscle have no striations.
- (2) They are involuntary muscles.
- (3) Communication among the cells is performed by intercalated discs.
- (4) These muscles are present in the wall of blood vessels.

**Answer: (3)**

182. For effective treatment of the disease, early diagnosis and understanding its pathophysiology is very important. Which of the following molecular diagnostic techniques is very useful for early detection?
- (1) Western blotting techniques
  - (2) Southern blotting techniques
  - (3) ELISA technique
  - (4) Hybridisation technique

**Answer: (3)**

183. Match the following:

List I		List II	
(a)	Vaults	(i)	Entry of sperm through Cervix is blocked
(b)	IUDs	(ii)	Removal of Vas deferens
(c)	Vesectomy	(iii)	Phagocytosis of sperms within the Uterus
(d)	Tubectomy	(iv)	Removal of fallopian tube

Choose the **correct** answer from the options given below.

- |     | (a)   | (b)   | (c)   | (d)   |
|-----|-------|-------|-------|-------|
| (1) | (iv)  | (ii)  | (i)   | (iii) |
| (2) | (i)   | (iii) | (ii)  | (iv)  |
| (3) | (ii)  | (iv)  | (iii) | (i)   |
| (4) | (iii) | (i)   | (iv)  | (ii)  |

**Answer: (2)**

184. The organelles that are included in the endomembrane system are:
- (1) Endoplasmic reticulum, Mitochondria, Ribosomes and Lysosomes
  - (2) Endoplasmic reticulum, Golgi complex, Lysosomes and Vacuoles
  - (3) Golgi complex, Mitochondria, Ribosomes and Lysosomes
  - (4) Golgi complex, Endoplasmic reticulum, Mitochondria and Lysosomes

**Answer: (2)**

185. Which state of meiotic prophase shows terminalisation of chiasmata as its distinctive feature?
- (1) Leptotene

- (2) Zygotene
- (3) Diakinesis
- (4) Pachytene

**Answer: (3)**

186. Which of these is not an important component of initiation of parturition in humans?

- (1) Increase in estrogen and progesterone ratio
- (2) Synthesis of prostaglandins
- (3) Release of Oxytocin
- (4) Release of Prolactin

**Answer: (1)**

187. Which of the following is **not** a step in Multiple Ovulation Embryo Transfer Technology (MOET)?

- (1) Cow is administered hormone having LH like activity for super ovulation
- (2) Cow yields about 6-8 eggs at a time
- (3) Cow is fertilized by artificial insemination
- (4) Fertilized eggs are transferred to surrogate mothers at 8-32 cell state

**Answer: (1)**

188. Match List-I with List-II

List I		List II	
(a)	Allen's Rule	(i)	Kangaroo rat
(b)	Physiological adaptation	(ii)	Desert lizard
(c)	Behavioral adaptation	(iii)	Marine fish at depth
(d)	Biochemical adaptation	(iv)	Polar seal

Choose the **correct** answer from the options given below.

- |     | (a)  | (b)   | (c)   | (d)   |
|-----|------|-------|-------|-------|
| (1) | (iv) | (ii)  | (iii) | (i)   |
| (2) | (vi) | (i)   | (iii) | (ii)  |
| (3) | (iv) | (i)   | (ii)  | (iii) |
| (4) | (iv) | (iii) | (ii)  | (i)   |

**Answer: (3)**

189. **Assertion (A):**

A person goes to high altitude and experiences 'altitude sickness' with symptoms like breathing difficulty and heart palpitations

**Reason (R):**

Due to low atmospheric pressure at high altitude, the body does not get sufficient oxygen.

In the light of the above statements, choose the **correct** answer from the options given below.

- (1) Both (A) and (R) are true and (R) is the correct explanation of (A)
- (2) Both (A) and (R) are true but (R) is not the correct explanation of (A)
- (3) (A) is true but (R) is false
- (4) (A) is false but (R) is true

**Answer: (1)**

190. Following are the statements with reference to 'lipids'.

- (a) Lipids having only single bonds are called unsaturated fatty acids.
- (b) Lecithin is a phospholipid.
- (c) Trihydroxy propane is glycerol.
- (d) Palmitic acid has 20 carbon atom including carboxyl carbon.
- (e) Arachidonic acid has 16 carbon atoms.

Choose the correct answer from the options given below.

- (1) (a) and (b) only
- (2) (c) and (d) only
- (3) (b) and (c) only
- (4) (b) and (e) only

**Answer: (3)**

191. Match List-I with List-II

<b>List I</b>		<b>List II</b>	
(a)	Scapula	(i)	Cartilaginous joints
(b)	Cranium	(ii)	Flat bone
(c)	Sternum	(iii)	Fibrous joints
(d)	Vertebral column	(iv)	Triangular flat bone

Choose the **correct** answer from the options given below.

- |     | (a)  | (b)   | (c)   | (d)  |
|-----|------|-------|-------|------|
| (1) | (i)  | (iii) | (iii) | (iv) |
| (2) | (ii) | (iii) | (iv)  | (i)  |
| (3) | (iv) | (ii)  | (iii) | (i)  |
| (4) | (iv) | (iii) | (ii)  | (i)  |

**Answer: (4)**

192. Identify the types of cell junctions that helps to stop the leakage of the substances across a tissue and facilitation of communication with neighbouring cells via rapid transfer of ions and molecules.

- (1) Gap junctions and Adhering junctions respectively.
- (2) Tight junctions and Gap junctions respectively.
- (3) Adhering junctions and Tight junctions respectively.
- (4) Adhering junctions and Gap junctions respectively.

**Answer: (2)**

193. **Statement I:**

The codon 'AUG' codes for methionine and phenylalanine.

**Statement II:**

'AAA' and 'AAG' both codons code for the amino acid lysine.

In the light of the above statements, choose the **correct** answer from the options given below.

- (1) Both Statement I and Statement II are true.
- (2) Both Statement I and Statement II are false.
- (3) Statement I is correct but Statement II is false.
- (4) Statement I is incorrect but Statement II is true.

**Answer: (4)**

194. Which of the following secretes the hormone, relaxin, during the later phase of pregnancy?

- (1) Graffian Follicle
- (2) Corpus luteum
- (3) Foetus
- (4) Uterus

**Answer: (4)**

195. Following are the statements about prostomium of earthworm.

- (a) It serves as a covering for mouth.
- (b) It helps to open cracks in the soil into which it can crawl.
- (c) It is one of the sensory structures.
- (d) It is the first body segment.

Choose the **correct** answer from the options given below

- (1) (a), (b) and (c) are correct
- (2) (a), (b) and (d) are correct
- (3) (a), (b), (c) and (d) are correct
- (4) (b) and (c) are correct

**Answer: (3)**

196. Which one of the following statements about Histones is wrong?

- (1) Histones are organized to form a unit of 8 molecules.
- (2) The pH of the histones is slightly acidic.
- (3) Histones are rich in amino acids – Lysines and arginine.
- (4) Histones carry positive charge in the side chain.

**Answer: (2)**

197. During molecular contraction which of the following events occur?

- (a) 'H' zone disappears
- (b) 'A' band widens
- (c) 'I' band reduces in width
- (d) Myosine hydrolyzes ATP, releasing the ADP and Pi
- (e) Z-lines attached to actins are pulled inwards

Choose the **correct** answer from the options given below

- (1) (a), (c), (d), (e) only
- (2) (a), (b), (c), (d) only
- (3) (b), (c), (d), (e) only
- (4) (b), (d), (e), (a) only

**Answer: (1)**

198. The Adenosine deaminase deficiency results into :

- (1) Dysfunction of immune system.
- (2) Parkinson's disease
- (3) Digestive disorder
- (4) ADDISON'S DISEASE

**Answer: (1)**

199. Match List – I with List – II

List I		List II	
(a)	Adaptive radiation	(i)	Selection of resistant varieties due to excessive use of herbicides and pesticides
(b)	Convergent evolution	(ii)	Bones of forelimbs in Man and Whale
(c)	Divergent evolution	(iii)	Wings of butterfly and bird
(d)	Evolution by anthropogenic action	(iv)	Darwin Finches

Choose the **correct** answer from the options given below

- (a) (b) (c) (d)  
 (1) (iv) (iii) (ii) (i)  
 (2) (iii) (ii) (i) (iv)  
 (3) (ii) (i) (iv) (iii)  
 (4) (i) (iv) (iii) (ii)

**Answer: (1)**

200. Match List – I with List – II

List I		List II	
(a)	Filariasis	(i)	Haemophilus influenza
(b)	Amoebiasis	(ii)	Trichophyton
(c)	Pneumonia	(iii)	Wuchereria bancrofti
(d)	Ringworm	(iv)	Entamoeba histolytica

Choose the **correct** answer from the options given below

- (a) (b) (c) (d)  
 (1) (iv) (i) (iii) (ii)  
 (2) (iii) (iv) (i) (ii)  
 (3) (i) (ii) (iv) (iii)  
 (4) (ii) (iii) (i) (iv)

**Answer: (2)**



**FACULTIES**

**NEET / IIT-JEE (Mains + Advanced)**

**Features**



Sumit Mishra B.Tech IIT Roorkee | Raja Singh M.Sc in Physics | Kokil Jain M.Sc IIT Kanpur | Gopesh Gupta B.Tech | Pardeep Kumar M.sc IIT Bombay | Pankaj Rana B.Tech | Dr. Sumalya Anees Ph.D. in Biotechnology | Divya Singh M.Sc Botany

- » **Live & Interactive Classes**
- » **Doubt Classes**
- » **Top Notch Faculties ( IITians & PhD holders)**
- » **Small Batch Size**
- » **Specially designed Study Material**

**Interactive Online Batches**

**On - Campus (Offline Batches)**



- ▶ 1 Year Regular Course for IIT - JEE Dropper 2022 **15 Sep**
- ▶ 1 Year Regular Course for NEET Dropper 2022 **21 Sep**

**Upcoming Batches**

**OFFLINE BATCHES**

(Sanitized Classrooms as per Covid-19 Guidelines)

Delhi Noida (UP)

**REGISTER NOW!**



**NEET TEST SERIES**

+91 7827048964

<https://toppersacademy.app/>



**24 TESTS**

**(12 Part Tests & 4 Cumulative Tests)**

**8 Major Tests (Full Syllabus)**

**NEET Test Series Price ₹ 2499/-**

**BENEFITS**

- ✔ Scientifically structured and designed by our top faculties to gradually take students to next level.
- ✔ Syllabus has been structured in a way to ensure thorough revision & practice of students.
- ✔ Every paper will be based on the current pattern announced by NTA.

<https://toppersacademy.app/>

**JEE (Mains + Advanced) Test Series**

+91 7827048964



**24 TESTS**

**(9 Part Test of Mains Pattern & 3 Cumulative Test of Advanced Pattern)**

**6 Mains Pattern (Full Syllabus)**

**6 Advanced Pattern (Full Syllabus)**

**JEE (Mains + Advanced) Test Series Price**

**₹ 2599/-**

**Benefits**

- ✔ Scientifically structured and designed by our top faculties to gradually take students to next level.
- ✔ Syllabus has been structured in a way to ensure thorough revision & practice of students.
- ✔ Every paper will be based on the current pattern announced by NTA.

**C-32 First floor sector 2, Noida, Near sector 15 metro station (201301)**

**info@toppersacademy.app**

**Contact: 07827048964, +911204319253**