

This Booklet contains 32 pages, including Rough Page.

Do not open this Test Booklet until you are asked to do so.

Important Instructions:

- 1. The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on ORIGINAL Copy carefully with **blue/black** ball point pen only.
- 2. The test is of 3 hours 20 minutes duration and the Test Booklet contains 200 multiple-choice questions (four options with a single correct answer) from Physics, Chemistry and Biology (Botany and Zoology). 50 questions in each subject are divided into two Sections (A and B) as per details given below:
 - (a) Section A shall consist of 35 (Thirty-five) Questions in each subject (Question Nos 1 to 35, 51 to 85, 101 to 135 and 151 to 185). All questions are compulsory.
 - (b) Section B shall consist of 15 (Fifteen) questions in each subject (Question Nos 36 to 50, 86 to 100, 136 to 150 and 186 to 200). In Section B, a candidate needs to attempt any 10 (Ten) questions out of 15 (Fifteen) in each subject.

Candidates are advised to read all 15 questions in each subject of Section B before they start attempting the question paper. In the event of a candidate attempting more than ten questions, the first ten questions answered by the candidate shall be evaluated.

- 3. Each question carries 4 marks. For each correct response, the candidate will get 4 marks. For each incorrect response, one mark will be deducted from the total scores. The maximum marks are 720.
- 4. Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses on Answer Sheet.
- 5. Rough work is to be done in the space provided for this purpose in the Test Booklet only.
- 6. On completion of the test, the candidate must hand over the Answer Sheet (ORIGINAL and OFFICE Copy) to the Invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
- 7. The CODE for this Booklet is F1. Make sure that the CODE printed on the Original Copy of the Answer Sheet is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the Answer Sheet.
- 8. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.
- 9. Use of white fluid for correction is NOT permissible on the Answer Sheet.
- 10. Each candidate must show on-demand his/her Admit Card to the Invigilator.
- 11. No candidate, without special permission of the centre Superintendent or Invigilator, would leave his/her seat.
- 12. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign (with time) the Attendance Sheet twice. Cases, where a candidate has not signed the Attendance Sheet second time, will be deemed not to have handed over the Answer Sheet and dealt with as an Unfair Means case.
- 13. Use of Electronic/Manual Calculator is prohibited.
- 14. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Room/Hall. All cases of unfair means will be dealt with as per the Rules and Regulations of this examination.
- 15. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- 16. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.
- 17. Compensatory time of one hour five minutes will be provided for the examination of three hours and 20 minutes duration, whether such candidate (having a physical limitation to write) uses the facility of Scribe or not.

Name of the Candidate (in Capitals):	
Roll Number: In figures: In words	· <u></u>
Centre of Examination (in Capitals):	
Candidate's Signature:	Invigilator's Signature:
Facsimile signature stamp of Centre Superintendent	

Physics: Section-A (Q. No. 1 to 35)

- The ratio of radius of gyration of a solid sphere of mass M and radius R about its own axis to the radius of gyration of the thin hollow sphere of same mass and radius about its axis is:
 - (1) 5:3
- (2) 2:5
- (3) 5:2
- (4) 3:5
- The work functions of Caesium (Cs), Potassium (K) and Sodium (Na) are 2.14 eV, 2.30 eV and 2.75 eV respectively. If incident electromagnetic radiation has an incident energy of 2.20 eV, which of these photosensitive surfaces may emit photoelectrons?
 - (1) Both Na and K
 - (2) K only
 - (3) Na only
 - (4) Cs only
- The amount of energy required to form a soap bubble of radius 2 cm from a soap solution is nearly: (surface tension of soap solution = 0.03 N m-1)
 - (1) $5.06x1Q^{-4}J$
- (2) 3.01x10-4J
- (3) 50. 1x 10⁻⁴ J
- (4) $30.16 \times 10^{-4} \text{ J}$
- 4 Resistance of a carbon resistor determined from colour codes is $(22000 \pm 5\%)$ Q. The colour of third band must be :
 - (1) Green
- (2) Orange
- (3) Yellow
- (4) Red
- 5 In a series LCR circuit, the inductance L is 10 mH, capacitance C is I μF and resistance R is 100 Q. The frequency at which resonance occurs ls:
 - (1) 15.9 kHz
- (2) 1.59 rad/s
- (3) 1.59 kHz
- (4) 15.9 rad/s

- In a plane electromagnetic wave travelling in free space, the electric field component oscillates sinusoidally at a frequency of 2.0x10¹⁰Hz and amplitude 48Vm-¹. Then the amplitude of oscillating magnetic field is: (Speed of light in free space = 3 x 10⁸ m s-1)
 - (1) 1.6x10-8T
- (2) 1.6x!0-7T
- (3) 1.6x!0-6T
- (4) 1.6x10-9T
- 7 Given below are two statements:


Statement I: Photovoltaic devices can convert optical radiation into electricity.

Statement II: Zener diode is designed to operate under reverse bias in breakdown reg10n.

In the light of the above statements, choose the *most appropriate* answer from the options given below:

- (1) Both Statement I and Statement II are incorrect.
- (2) **Statement** I is correct but **Statement** II is incorrect.
- (3) Statement I is incorrect but Statement II is correct.
- (4) Both **Statement** I and **Statement** II are correct.
- 8 The errors in the measurement which arise due to unpredictable fluctuations in temperature and voltage supply are:
 - (1) Personal errors
 - (2) Least count errors
 - (3) Random errors
 - (4) Instrumental errors
- 9 If $f_E \cdot dS = O$ over a surface, then:
 - (1) the magnitude of electric field on the surface is constant.
 - (2) all the charges must necessarily be inside the surface.
 - (3) the electric field inside the surface is necessarily uniform.
 - (4) the number of flux lines entering the surface must be equal to the number of flux lines leaving it.

10 If the galvanometer G does not show any deflection in the circuit shown, the value of R is given by:



- (1) 50 Q
- (2) IO0Q
- (3) 400 o
- (4) 200 o

11 An ac source is connected to a capacitor C. Due to decrease in its operating frequency:

- (1) displacement current increases.
- (2) displacement current decreases.
- (3) capacitive reactance remains constant
- (4) capacitive reactance decreases.

12 The minimum wavelength of X-rays produced by an electron accelerated through a potential difference of V volts is proportional to:

13 The venturi-meter works on:

- (1) Bernoulli's principle
- (2) The principle of parallel axes
- (3) The principle of perpendicular axes
- (4) Huygen's principle

A full wave rectifier circuit consists of two p-n junction diodes, a centre-tapped transformer, capacitor and a load resistance. Which of these components remove the ac ripple from the rectified output?

- (1) p-n junction diodes
- (2) Capacitor
- (3) Load resistance
- (4) A centre-tapped transformer

15 A metal wire has mass (0.4 ± 0.002) g, radius (0.3 ± 0.001) mm and length (5 ± 0.02) cm. The maximum possible percentage error in the measurement of density will nearly be:

- (1) 1.3%
- (2) 1.6%
- (3) 1.4%
- (4) 1.2%

16 For Young's double slit experiment, two statements are given below:

Statement I: If screen is moved away from the plane of slits, angular separation of the fringes remains constant.

Statement II: If the monochromatic source is replaced by another monochromatic source of larger wavelength, the angular separation of fringes decreases.

In the light of the above statements, choose the correct answer from the options given below:


- (1) Both Statement I and Statement II are false.
- (2) Statement I is true but Statement II
- (3) Statement I is false but Statement II
- (4) Both Statement I and Statement II are true.

17 The potential energy of a long spring when stretched by 2 cm is U. If the spring is stretched by 8 cm, potential energy stored in it will be:

- (1) 4U
- (2) 8U
- (3) 16U
- (4) 2U


18 Light travels a distance x in time t_1 in air and lOx in time t_2 in another denser medium. What is the critical angle for this medium?

$$(1) \quad \overset{\bullet}{\text{siii-1}} (10 \frac{t_2}{t_1})$$



(3)
$$sm^{-1}(10t1)$$

- 19 A 12 V, 60 W lamp is connected to the secondary of a step down transformer, whose primary is connected to ac mains of 220 V. Assuming the transformer to be ideal, what is the current in the primary winding?
 - (1) 2.7 A
- (2) 3.7 A
- (3) 0.37 A
- (4) 0.27 A
- 20 A football player is moving southward and suddenly turns eastward with the same speed to avoid an opponent. The force that acts on the player while turning is:
 - (1) along northward
 - (2) along north-east
 - (3) along south-west
 - (4) along eastward
- The magnitude and direction of the current in the following circuit is




- (1) 0.5 A from A to B through E
- (2) $\frac{5}{9}$ A from A to B through E
- (3) 1.5 A from B to A through E
- (4) 0.2 A from B to A through E
- The angular acceleration of a body, moving along the circumference of a circle, is:
 - (1) along the radius towards the centre
 - (2) along the tangent to its position
 - (3) along the axis of rotation
 - (4) along the radius, away from centre

A bullet is fired from a gun at the speed of 280 m s⁻¹ in the direction 30° above the horizontal. The maximum height attained by

the bullet is $(g = 9.8 \text{ m s} - ^2, \sin 30^\circ = 0.5)$:

- (1) 2000 m
- (2) 1000 m
- (3) 3000 m
- (4) 2800 m
- 24 The net magnetic flux through any closed surface is:
 - (1) Positive
- (2) Infinity
- (3) Negative
- (4) Zero
- 25 The equivalent capacitance of the system shown in the following circuit is:



- (1) 3 μF
- (2) 6 μF
- (3) 9 μF
- (4) 2 μF
- 26 A vehicle travels half the distance with speedv and the remaining distance with speed2v. Its average speed is:
 - (1) $\frac{2\vartheta}{2}$
- $(2) \quad \frac{4\vartheta}{3}$
- $(3) \quad \frac{3tJ}{4}$
- $(4) \quad \frac{tJ}{3}$

- The half life of a radioactive substance is 20 minutes. In how much time, the activity of substance drops to (10 of Its Imitial value?
 - (1) 40 minutes
- (2) 60 minutes
- (3) 80 minutes
- (4) 20 minutes
- 28 The temperature of a gas is -50° C. To what temperature the gas should be heated so that the rms speed is increased by 3 times?
 - (1) 3295° C
- (2) 3097 K
- (3) 223 K
- (4) 669° C
- 29 A Carnot engine has an efficiency of 50% when its source is at a temperature 327° C.

 The temperature of the sink is:
 - (1) 15° C
- (2) 100° C
- (3) 200° C
- (4) 27° C
- 30 The magnetic energy stored in an inductor of inductance 4 µH carrying a current of 2 A is:
 - (1) 4 mJ
- (2) 8 mJ
- (3) 8 µJ
- (4) 4 μ.
- Let a wire be suspended from the ceiling (rigid support) and stretched by a weight W attached at its free end. The longitudinal stress at any point of cross-sectional area A of the wire is:
 - (1) W/A
- (2) Wj2A
- (3) Zero
- $(4) \quad 2W/A$

- An electric dipole is placed at an angle of 30° with an electric field of intensity 2x10⁵Nc-¹. It experiences a torque equal to 4 N m. Calculate the magnitude of charge on the dipole, if the dipole length is 2 cm.
 - (1) 6 mC
- (2) 4 mC
- (3) 2 mC
- (4) 8 mC
- 33 In hydrogen spectrum, the shortest wavelength in the Balmer series is A. The shortest wavelength in the Bracket series is:
 - (1) 4 A
- (2) 9 A
- (3) 16A
- (4) 2 A
- 34 The ratio of frequencies of fundamental harmonic produced by an open pipe to that of closed pipe having the same length is:
 - (1) 2:1
- (2) 1:3
- (3) 3:1
- (4) 1:2
- 35 Two bodies of mass m and 9m are placed at a distance R. The gravitational potential on the line joining the bodies where the gravitational field equals zero, will be (G = gravitational constant):
 - $(1) \quad -\frac{12Gm}{R}$
- $(2) \quad -\frac{16Gm}{R}$
- $(3) \quad -\frac{20Gn}{R}$
- $(4) \quad -\frac{8Gm}{R}$

Physics: Section-B (O. No. 36 to 50)

36 A bullet from a gun is fired on a rectangular wooden block with velocity u. When bullet travels 24 cm through the block along its length horizontally, velocity of bullet

> becomes \". Then it further penetrates into the block in the same direction before coming to rest exactly at the other end of the block. The total length of the block is:

- (1) 24 cm
- (2) 28 cm
- (3) 30 cm
- (4) 27 cm
- 37 The radius of inner most orbit of hydrogen atom is 5.3×10^{-11} m. What is the radius of third allowed orbit of hydrogen atom?
 - (1) 1.06 Å
- (2) 1.59 Å
- (3) 4.77 Å
- (4) 0.53 Å
- 38 Calculate the maximum acceleration of a moving car so that a body lying on the floor of the car remains stationary. The coefficient of static friction between the body and the floor is 0.15 (g = 10 m s-2).


 - (1) 150ms^{-2} (2) 1.5ms^{-2} (3) 50ms^{-2} (4) 1.2ms^{-2}
- 39 10 resistors, each of resistance R are connected in series to a battery of emf E and negligible internal resistance. Then those are connected in parallel to the same battery, the current is increased n times. The value of n is:
 - (1) 100
- (2) 1
- (3) 1000
- (4) 10
- A horizontal bridge is built across a river. A student standing on the bridge throws a small ball vertically upwards with a velocity

4 m s-I. The ball strikes the water surface after 4 s. The height of bridge above water

surface is (Take $g = 10 \text{ m s}^{-2}$):

- (1) 60 m
- (2) 64 m
- (3) 68 m
- (4) 56 m


41 The net impedance of circuit (as shown in figure) will be:




- (1) 15 Q
- **(2)**
- (3) 25 Q
- 42 A satellite is orbiting just above the surface of the earth with period T. If d is the density of the earth and G is the universal constant


of gravItatI0n, the quantity $\frac{2n}{Gd}$ represents:

- (4) T
- 43 Two thin lenses are of same focal lengths (i), but one is convex and the other one is concave. When they are placed in contact with each other, the equivalent focal length of the combination will be:
 - (1) f/4
- (2) f/2
- (3) Infinite
- (4) Zero
- 44 For the following logic circuit, the truth table 1s




- (1) В 0
- (3) A B0 0 1
- 1 1





- (1) pointed away from the page
- (2) $1 \frac{3}{4}$ pointed away from page
- (3) -1 $\frac{3}{4}$ pinted into the page
- (4) $\frac{\mu o^{i}}{4R}$ pointed into the page
- 46 The resistance of platinum wire at 0° C is 2n and 6.8n at 80°C. The temperature coefficient of resistance of the wire is:
 - (1) $3x10-3 \circ C-1$
- (2) $3x10^{-2}$ oC-1
- (3) $3x10^{-1} \circ C^{-1}$
- (4) 3x1Q-4 00-1

47 An electric dipole is placed as shown in the figure.




The electric potential (in 102 V) at point P due to the dipole is $(E_0 = permittivity of free)$

space and
$$I = K$$
:

- $^{(1)}$ ($^{3}/_{4}$)qK $_{(2)}$ ($^{3}/_{4}$)qK
- (3) $(\frac{3}{4})qK$ (4) $(\frac{3}{4})qK$


48 In the figure shown here, what is the equivalent focal length of the combination of lenses (Assume that all layers are thin)?



- (1) -40 cm
- -100 cm
- (3) 50 cm
- 49 A wire carrying a current I along the positive x-axis has length L It is kept in a magnetic

field $B = (2^{1/4} + 3^{1/4} - 4k)$ T. The magnitude of the magnetic force acting on the wire is:

- **(1)**
- (2) 5 **I**L
- (3)
- (4) 3 IL
- **50** The *x-t* graph of a particle performing simple harmonic motion is shown in the figure. The acceleration of the particle at t=2 s is :





- (1) $-\frac{\pi^2}{8}$ -2 (2) $\frac{\pi^2}{16 \text{ m/s}}$ -2
- (3) $-\frac{\pi^2}{m} s$ -2 (4) $\frac{\pi^2}{-m} s$ -2


Chemistry: Section-A (Q. No. 51 to 85)


- 51 The stability of Cu^{2+} is more than cu^{+} salts in aqueous solution due to -
 - (1) enthalpy of atomization.
 - (2) hydration energy.
 - (3) second ionisation enthalpy.
 - (4) first ionisation enthalpy.
- Which one is an example of heterogenous catalysis?
 - (1) Hydrolysis of sugar catalysed by H ions.
 - (2) Decomposition of ozone in presence of nitrogen monoxide.
 - (3) Combination between dinitrogen and dihydrogen to form ammonia in the presence of finely divided iron.
 - (4) Oxidation of sulphur dioxide into sulphur trioxide in the presence of oxides of nitrogen.

Which amongst the following options is **correct** graphical representation of Boyle's Law?









54 Given below are two statements : one is labelled as **Assertion A** and the other is labelled as Reason R:

Assertion A: A reaction can have zero activation energy.

Reasons R: The minimum extra amount of energy absorbed by reactant molecules so that their energy becomes equal to threshold value, is called activation energy.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and R are true and R is NOT the correct explanation of A.
- (2) \mathbf{A} is true but \mathbf{R} is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is the correct explanation of A.
- 55 In Lassaigne's extract of an organic compound, both nitrogen and sulphur are present, which gives blood red colour with Fe3⁺ due to the formation of -
 - (1) NaSCN
 - (2) $[Fe(CN)_5 NOS]$
 - (3) [Fe(SCN)]²⁺
 - (4) $\operatorname{Fe}_{4}\left[\operatorname{Fe}\left(\operatorname{CN}\right)_{6}\right]^{1}$ $\operatorname{x}\operatorname{H}_{2}0$
- Consider the following reaction and identify the product (P).

- 3 Methylbutan-2-ol
- (1) CH3 CH= CH-CH3
- (2) $CH_3 CH CH CH_3$

CH₃ Br

CH₃

- (3) CH C C H ₂ Br CH₃ Br
- (4) CH3-?-CH2-CH3

For a certain reaction, the rate = k[A]² [B], when the initial concentration of A is tripled keeping concentration of B constant, the initial rate would

- (1) increase by a factor of six.
- (2) increase by a factor of nine.
- (3) increase by a factor of three.
- (4) decrease by a factor of nine.
- 58 Match List I with List II:

List - I

- A. Coke I. Carbon atoms are sp³ hybridised.
- B. Diamond II. Used as a dry lubricant
- C. Fullerene III. Used as a reducing agent
- D. Graphite IV. Cage like molecules

- (1) A-IV, B-I, C-11, D-III
- (2) A-III, B-I, C-IV, D-11
- (3) A-III, B-IV, C-I, D-11
- (4) A-II, B-IV, C-I, D-III
- Which one of the following statements is **correct?**
 - (1) All enzymes that utilise ATP in phosphate transfer require Ca as the cofactor.
 - (2) The bone in human body is an inert and unchanging substance.
 - (3) Mg plays roles in neuromuscular function and interneuronal transmission.
 - (4) The daily requirement of Mg and Ca in the human body is estimated to be 0.2 0.3 g.

- A compound is formed by two elements A and B. The element B forms cubic close packed structure and atoms of A occupy 1/3 of tetrahedral voids. If the formula of the compound is AxBy, then the value of x + y is in option
 - (1) 4
- (2) 3
- (3) 2
- (4) 5
- 61 Homoleptic complex from the following complexes is:
 - (1) Diamminechloridonitrito N platinum (II)
 - (2) Pentaamminecarbonatocobalt (III) chloride
 - (3) Triamminetriaquachromium (III) chloride
 - (4) Potassium trioxalatoaluminate (III)
- The **correct** order of energies of molecular orbitals of N_2 molecule, is:
 - (1) CTS-CT* Is-CT2S-CT* 2s-CT2p₂ < $(\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$
 - (2) CIk*CI* k*CT2s*CT* 2s*CT2 p_2 < CI*2 p_2 < (re2 p_x = re2 p_y) < (re* $2p_x$ = re* $2p_y$)
 - (3) CTs < CT's < CT's < CT's < (re2p_x = re2p_y) < $(\pi^* 2p_x = \pi^* 2p_y) < \sigma 2p_z < \sigma^* 2p_z$
 - (4) CTS CT* k CTS CT* $2s < (re2p_x = re2p_y) < \sigma 2p_z < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$
- Taking stability as the factor, which one of the following represents **correct** relationship?
 - (1) $Inl_3 > Inl$
- (2) $AlC1 > AlC1_3$
- $(3) Tll > Tll_3$
- (4) $TIC1_3 > TIC1$

64 Given below are two statements: one is labelled as **Assertion A** and the other is labelled as **Reason R**:

Assertion A: Helium is used to dilute oxygen in diving apparatus.

Reasons R: Helium has high solubility in 0_2 .

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and R are true and R is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is the correct explanation of A.
- 65 Select the **correct** statements from the following:
 - A. Atoms of all elements are composed of two fundamental particles.
 - B. The mass of the electron is $9.10939 \times 10^{-31} \text{ kg.}$
 - C. All the isotopes of a given element show same chemical properties.
 - D. Protons and electrons are collectively known as nucleons.
 - E. Dalton's atomic theory, regarded the atom as an ultimate particle of matter.

- (1) C, D and E only
- (2) A and E only
- (3) B, C and E only
- (4) A, B and C only

- Which of the following statements are **NOT** correct?
 - A. Hydrogen is used to reduce heavy metal oxides to metals.
 - B. Heavy water is used to study reaction mechanism.
 - C. Hydrogen is used to make saturated fats from oils.
 - D. The H-H bond dissociation enthalpy is lowest as compared to a single bond between two atoms of any element.
 - E. Hydrogen reduces oxides of metals that are more active than iron.

Choose the **most appropriate** answer from the options given below :

- (1) B, D only
- (2) D, E only
- (3) A, B, Conly
- (4) B, C, D, E only
- The given compound

 en, CII3

is an example of ____


- (1) aryl halide
- (2) allylic halide
- (3) vinylic halide
- (4) benzylic halide


68 Identify product (A) in the following reaction:

 $\frac{\text{Zn-Hg}}{\text{cone. HCl}}$ (A)+2H2O



(2) CHpH





- 69 The conductivity of centimolar solution of KCl at 25°C is 0.0210 ohm-1 cm-1 and the resistance of the cell containing the solution at 25°C is 60 ohm. The value of cell constant is -
 - (1) 3.28 cm-1
- (2) 1.26 cm-1
- (3) 3.34 cm-1
- (4) 1.34 cm⁻¹
- 70 Amongst the given options which of the following molecules / ion acts as a Lewis acid?
 - (1) H20
- (2) BF3
- (3) OH-
- (4) NH3

71 Given below are two statements:

> Statement I: A unit formed by the attachment of a base to 1' position of sugar is known as nucleoside

> Statement II: When nucleoside is linked to phosphorous acid at 5'-position of sugar moiety, we get nucleotide.

> In the light of the above statements, choose the correct answer from the options given

- (1) Both Statement I and Statement II are false.
- Statement I is true but Statement II is false.
- (3) Statement I is false but Statement II
- (4) Both Statement I and Statement II are true.
- 72 The relation between nm, (nm = the number)of permissible values of magnetic quantum number (m)) for a given value of azimuthal quantum number (1), is

 - (1) $l = 2n_m + 1$ (2) $n_m = 2l^2 + 1$

 - (3) $n_{\rm m} = l + 2$ (4) $l = \frac{n_{\rm min} 1}{2}$
- Amongst the following, the total number of 73 species NOT having eight electrons around central atom in its outer most shell, is NH₃, AICl₃, BeCl₂, CCl₄, PCl₅
 - (1) 2
- (3) 1
- Intermolecular forces are forces of attraction 74 and repulsion between interacting particles that will include :
 - A. dipole dipole forces.
 - dipole induced dipole forces. В.
 - hydrogen bonding.
 - covalent bonding.
 - dispersion forces.

Choose the **most appropriate** answer from the options given below:

- (1) A, B, C, D are correct.
- (2) A, B, C, E are correct.
- (3) A, C, D, E are correct.
- (4) B, C, D, E are correct.

75 Given below are two statements: one ls labelled as Assertion A and the other Is labelled as Reason R:

> Assertion A: Metallic sodium dissolves in liquid ammonia giving a deep blue solution, which is paramagnetic.

> Reasons R: The deep blue solution is due to the formation of amide.

> In the light of the above statements, choose the correct answer from the options given below:

- (1) Both A and Rare true but R is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is the correct explanation of A.
- The element expected to form largest ion to 76 achieve the nearest noble gas configuration is .
 - (1)
- (2) N
- (3) Na
- (4) 0
- Some tranquilizers are listed below. Which one from the following belongs to barbiturates?
 - (1) Meprobamate
 - (2) Valium
 - (3) Veronal
 - (4) Chlordiazepoxide
- 78 Given below are two statements: one Is labelled as Assertion A and the other Is labelled as Reason R:

Assertion A: In equation $_rG = - nFE_{cell}'$ value of $_{r}G$ depends on n.

Reasons R: Ecell is an intensive property and rG is an extensive property.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and Rare true and R is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is the correct explanation of A.

79 Which amongst the following molecules on polymerization produces neoprene?

CI
I
(1)
$$H_2C = C - CH = CH_2$$


(2)
$$H_2C = CH - C \equiv CH$$

$$CH_3$$

$$|$$
(3) $H_2C = C - CH = CH_2$

$$(4) \quad H_2C = CH - CH = CH_2$$

80 Complete the following reaction:



$$\xrightarrow{\text{conc. H}_2\text{SO}_4} [C]$$


[C] is ______


- (I) Ocoou(2) Omo
- (3) Ocoon(4) Oon
- Weight (g) of two moles of the organic compound, which is obtained by heating sodium ethanoate with sodium hydroxide in presence of calcium oxide is:
 - (1) 32
- (2) 30
- (3) 18
- (4) 16

- Which of the following reactions will NOT give primary amine as the product?
 - (1) $CH_3CN \xrightarrow{\text{(i) LiAIH4}} Product$
 - (2) $CH_3NC \xrightarrow{\text{(i) LiAIH4}} Product$
 - (3) $CH_3CONH_2 \xrightarrow{\text{(i) LiAIH4}} Product$
 - (4) $CH_3 CONH_2 \xrightarrow{Br2 I KOH}$ Product
- The **right** option for the mass of CO₂ produced by heating 20 g of 20% pure limestone is (Atomic mass of Ca = 40)

$$[CaCO_3 \xrightarrow{1200 \text{ K}} CaO + CO_2]$$

- (1) 1.76 g
- (2) 2.64 g
- (3) 1.32 g
- (4) 1.12 g
- 84 Identify the product in the following reaction:





- The number of **Cr** bonds, **1e** bonds and lone pair of electrons in pyridine, respectively are:
 - (1) 12, 3, 0
- (2) 11, 3, 1
- (3) 12, 2, 1
- (4) 11, 2, 0

Chemistry: Section-B (Q. No. 86 to 100)

Which amongst the following options is the **correct** relation between change in enthalpy and change in internal energy?

(1)
$$\Delta H = \Delta U + \Delta n_{\alpha} RT$$

(2)
$$LIH - LIU = - LInRT$$

(3)
$$LIH + LIU = LInR$$

(4)
$$\Delta H = \Delta U - \Delta n_g RT$$

87 Consider the following reaction:

$$Ocn, -o-0$$
 $\xrightarrow{HI} A+B$

Identify products A and B.

(1)
$$A = \langle CH_2OH \text{ and } B = \langle IH_2OH \text{ and } B \rangle$$

(2)
$$A = \langle CH_2I \text{ and } B = \langle CH_2I \text{ or } GH_2I \text{ or$$

(3)
$$A = \bigvee$$
 CH₃ and $B = \bigvee$ I

(4)
$$A = \langle CH_3 \text{ and } B = \langle DH \rangle$$

- Which of the following statements are **INCORRECT?**
 - A. All the transition metals except scandium form MO oxides which are iouic.
 - B. The highest oxidation number corresponding to the group number in transition metal oxides is attained in Sc_20_3 to Mn_20_7 .
 - C. Basic character increases from V_20_3 to V_20_4 to V_20_5 .
 - D. V_20_4 dissolves in acids to give VO!-salts.
 - E. CrO is basic but Cr_20_3 is amphoteric. Choose the **correct** answer from the options given below:
 - (1) B and D only
 - (2) C and D only
 - (3) B and C only
 - (4) A and E only
- 89 Which amongst the following will be most readily dehydrated under acidic conditions?


$$(3) \qquad \qquad \bigvee_{OH}$$


NO2 OH

- 90 The reaction that does NOT take place in a blast furnace between 900 K to 1500 K temperature range during extraction of iron is:
 - (1) FeO +CO Fe+ CO_2
 - (2) C+CO₂ 2CO
 - (3) $CaO + SiO_2$ $CaSiO_3$
 - (4) $\operatorname{Fe}_2 O_3 + \operatorname{CO} = 2\operatorname{FeO} + \operatorname{CO}_2$
- 91 Identify the major product obtained in the following reaction:

$$\underbrace{ \left(\frac{0}{H} + 2 \left[Ag(NH_3) \right] \right)^{+} }_{}$$

3-oH maJor product





- What fraction of one edge centred octahedral void lies in one unit cell of fee?
 - (1) $\frac{1}{3}$
- (2) $\frac{1}{4}$
- (3) $\frac{1}{12}$
- $(4) \frac{1}{2}$
- 93 The equilibrium concentrations of the species in the reaction A+B C+D are 2, 3, 10 and 6 mol L-1, respectively at 300 K. G⁰ for the reaction is (R = 2 cal / mol K)
 - (1) 137.26 cal
- (2) 1381.80 cal
- (3) 13.73 cal
- (4) 1372.60 cal
- 94 Consider the following compounds/species:

i. 00 % ii. 0

iii. iv. .

v. B vi. ()

 $^{\text{vii.}}$ CO) ,&

The number of compounds/species which obey Huckel's rule is _____.

- (1) 6
- (2) 2
- (3) 5
- (4) 4

- 95 Which complex compound is most stable?
 - (1) [co(NHJ3 (No3)3]
 - (2) [CoCl2 (en)2] NO3
 - (3) [co(NH3)6] i(so4)3
 - (4) [co(NH3t (H20)Br](No3)2
- 96 On balancing the given redox reaction,

$$a \operatorname{Cr}_2 O_7^{2-} + b \operatorname{SO}_3^{2-} (aq) + c \operatorname{H}^+ (aq) \rightarrow$$

$$2a \, \mathrm{Cr}^{3+} \left(aq\right) + b \, \mathrm{SO}_4^{2-} \left(aq\right) + \frac{c}{2} \, \mathrm{H}_2 \mathrm{O}\!\left(\ell\right)$$

the coefficients a, b and c are found to be, respectively -

- (1) 3, 8, 1
- (2) 1, 8, 3
- (3) 8, 1, 3
- (4) 1, 3, 8
- 97 Given below are two statements

Statement I: The nutrient deficient water bodies lead to eutrophication.

Statement II: Eutrophication leads to decrease in the level of oxygen in the water bodies.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **Statement** I and **Statement** II are false.
- (2) **Statement** I is correct but **Statement** II is false.
- (3) Statement I is incorrect but Statement II is true.
- (4) Both **Statement** I and **Statement** II are true.

98 Identify the final product [D] obtained in the following sequence of reactions.

сн 3сно
$$\frac{i) \text{ LiAIH4}}{ii) \text{ H 3o +}} > [A] \frac{\text{H2so4}}{ii} > [B]$$

$$\frac{\text{HBr}}{\text{Na/dry ether}} \text{[c]} \xrightarrow{\text{Na/dry ether}} \text{[D]}$$

- (2) C4H10
- (3) HC 7C8 Na

(4)v

- 99 Pumice stone is an example of -
 - (1) gel
- (2) solid sol
- (3) foam
- (4) sol
- 100 Match List I with List II:

List - I (Oxoacids List - II (Bonds) of Sulphur)

- A. Peroxodisul-
- I. Two S-OH, Four S=O,
- phuric acid
- One S-O-S
- B. Sulphuric acid
- II. Two S-O_H, One $S^{=}$ O
- C. Pyrosulphuric
- III. Two S-OH, Four S=O,
- acid
- One S-O-O-S
- D. Sulphurous acid IV. Two S-OH, Two S=O Choose the **correct** answer from the options given below:
- (1) A-III, B-IV, C-I, D-II
- (2) A-I, B-III, C-IV, D-II
- (3) A-III, B-IV, C-II, D-I
- (4) A-I, B-III, C-II, D-IV

Botany	:	Section-A	(Q.	No.	101	to	135)
---------------	---	------------------	-----	-----	-----	----	-----	---

- Which hormone promotes internode/petiole elongation in deep water rice?
 - (1) Kinetin
- (2) Ethylene
- (3) 2, 4-D
- (4) GA₃
- 102 Movement and accumulation of ions across a membrane against their concentration gradient can be explained by
 - (1) Facilitated Diffusion
 - (2) Passive Transport
 - (3) Active Transport
 - (4) Osmosis
- 103 Large, colourful, fragrant flowers with nectar are seen in:
 - (1) bird pollinated plants
 - (2) bat pollinated plants
 - (3) wind pollinated plants
 - (4) insect pollinated plants
- 104 In tissue culture experiments, leaf mesophyll cells are put in a culture medium to form callus. This phenomenon may be called as
 - (1) Dedifferentiation
 - (2) Development
 - (3) Senescence
 - (4) Differentiation
- 105 The historic Convention on Biological Diversity, 'The Earth Summit' was held in Rio de Janeiro in the year :
 - (1) 1992
- (2) 1986
- (3) 2002
- (4) 1985
- 106 During the purification process for recombinant DNA technology, addition of chilled ethanol precipitates out
 - (1) DNA
- (2) Histones
- (3) Polysaccharides (4) RNA
- 107 How many ATP and NADPH₂ are required for the synthesis of one molecule of Glucose during Calvin cycle?
 - (1) 18 ATP and 12 NADPH₂
 - (2) 12 ATP and 16 NADPH₂
 - (3) 18 ATP and 16 NADPH₂
 - (4) 12 ATP and 12 NADPH₂

108 In the equation

$\overline{IGPP} - R = NPPI$

GPP is Gross Primary Productivity NPP is Net Primary Productivity

R here is

- (1) Respiratory quotient
- (2) Respiratory loss
- (3) Reproductive allocation
- (4) Photosynthetically active radiation
- 109 In gene gun method used to introduce alien DNA into host cells, microparticles of metal are used.
 - (1) Zinc
 - (2) Tungsten or gold
 - (3) Silver
 - (4) Copper
- 110 The phenomenon of pleiotropism refers to
 - (1) presence of two alleles, each of the two genes controlling a single trait.
 - (2) a single gene affecting multiple phenotypic expression.
 - (3) more than two genes affecting a single character.
 - (4) presence of several alleles of a single gene controlling a single crossover.
- 111 Given below are two statements: One is labelled as **Assertion A** and the other is labelled as **Reason R**:

Assertion A: Late wood has fewer xylary elements with narrow vessels.

Reason R: Cambium is less active in winters.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and Rare true but **R** is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and **R** are true and R is the correct explanation of A.

- 112 Among eukaryotes, replication of DNA takes place in -
 - (1) S phase
- (2) G_1 phase
- (3) G₂ phase
- (4) M phase
- 113 Family Fabaceae differs from Solanaceae and Liliaceae. With respect to the stamens, pick out the characteristics specific to family Fabaceae but not found in Solanaceae or Liliaceae.
 - (1) Polyadelphous and epipetalous stamens
 - (2) Monoadelphous and Monothecous anthers
 - (3) Epiphyllous and Dithecous anthers
 - (4) Diadelphous and Dithecous anthers
- 114 Axile placentation is observed in
 - (1) China rose, Beans and Lupin
 - (2) Tomato, Dianthus and Pea
 - (3) China rose, Petunia and Lemon
 - (4) Mustard, Cucumber and Primrose
- 115 Identify the pair of heterosporous pteridophytes among the following:
 - (1) Selaginella and Salvinia
 - (2) Psilotum and Salvinia
 - (3) Equisetum and Salvinia
 - (4) Lycopodium and Selaginella
- The thickness of ozone in a column of air in the atmosphere is measured in terms of:
 - (1) Decibels
- (2) Decameter
- (3) Kilobase
- (4) Dobson units
- 117 What is the function of tassels in the corn cob?
 - (1) To trap pollen grains
 - (2) To disperse pollen grains
 - (3) To protect seeds
 - (4) To attract insects

118 Given below are two statements: One is labelled as **Assertion A** and the other is labelled as **Reason R**:

Assertion A: The first stage of gametophyte in the life cycle of moss is protonema stage.

Reason R: Protonema develops directly from spores produced in capsule.

In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) Both A and Rare correct but **R** is NOT the correct explanation of **A**.
- (2) A is correct but R is not correct.
- (3) A is not correct but R is correct.
- (4) Both A and R are correct and R is the correct explanation of A.
- 119 Given below are two statements:

Statement I: The forces generated by transpiration can lift a xylem-sized column of water over 130 meters height.

Statement II: Transpiration cools leaf surfaces sometimes 10 to 15 degrees, by evaporative cooling.

In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) Both **Statement** I and **Statement** II are incorrect.
- (2) **Statement** I is correct but **Statement** II is incorrect.
- (3) **Statement** I is incorrect but **Statement** II is correct.
- (4) Both **Statement** I and **Statement** II are correct.
- 120 Spraying of which of the following phytohormone on juvenile conifers helps in hastening the maturity period, that leads to early seed production?
 - (1) Gibberellic Acid
 - (2) Zeatin
 - (3) Abscisic Acid
 - (4) Indole-3-butyric Acid

- 121 Frequency of recombination between gene pairs on same chromosome as a measure of the distance between genes to map their position on chromosome, was used for the first time by
 - (1) Sutton and Boveri
 - (2) Alfred Sturtevant
 - (3) Henking
 - (4) Thomas Hunt Morgan
- 122 Expressed Sequence Tags (ESTs) refers to
 - (1) All genes that are expressed as proteins.
 - (2) All genes whether expressed or unexpressed.
 - (3) Certain important expressed genes.
 - (4) All genes that are expressed as RNA.
- 123 Upon exposure to UV radiation, DNA stained with ethidium bromide will show
 - (1) Bright blue colour
 - (2) Bright yellow colour
 - (3) Bright orange colour
 - (4) Bright red colour
- Given below are two statements: One is 124 labelled as Assertion A and the other is labelled as Reason R:

Assertion A: ATP is used at two steps in glycolysis.

Reason R: First ATP is used in converting glucose into glucose-6-phosphate and second ATP is used in conversion of fructose-6phosphate into fructose-1-6-diphosphate. In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and Rare true but R is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is the correct explanation of A.
- 125 Unequivocal proof that DNA is the genetic material was first proposed by
 - (1) Alfred Hershey and Martha Chase
 - (2) Avery, Macleoid and McCarthy
 - (3) Wilkins and Franklin
 - (4) Frederick Griffith

- 126 Identify the **correct** statements:
 - Detrivores perform fragmentation.
 - B. The humus is further degraded by some microbes during mineralization.
 - Water soluble inorganic nutrients go down into the soil and get precipitated by a process called leaching.
 - The detritus food chain begins with living organisms.
 - Earthworms break down detritus into smaller particles by a process called catabolism.

- (1) B, C, D only (2) C, D, E only
- (3) D, E, A only (4) A, B, C only
- The reaction centre in PS II has an absorption 127 maxima at
 - (1) 700 nm
- (2) 660 nm
- (3) 780 nm
- (4) 680 nm
- 128 In angiosperm, the haploid, diploid and triploid structures of a fertilized embryo sac sequentially are:
 - (1) Antipodals, synergids, and primary endosperm nucleus
 - (2) Synergids, Zygote and Primary endosperm nucleus
 - (3) Synergids, antipodals and Polar nuclei
 - (4) Synergids, Primary endosperm nucleus and zygote
- 129 Which micronutrient is required for splitting of water molecule during photosynthesis?

 - (1) molybdenum (2) magnesimm
 - (3) copper
- (4) manganese
- 130 Which of the following stages of meiosis involves division of centromere?
 - (1) Metaphase II
- (2) Anaphase II
- (3) Telophase
- (4) Metaphase I

- 131 Cellulose does not form blue colour with Iodine because
 - (1) It is a helical molecule.
 - (2) It does not contain complex helices and hence cannot hold iodine molecules.
 - (3) It breakes down when iodine reacts with it.
 - (4) It is a disaccharide.
- 132 Among 'The Evil Quartet', which one is considered the most important cause driving extinction of species?
 - (1) Over exploitation for economic gain
 - (2) Alien species invasions
 - (3) Co-extinctions
 - (4) Habitat loss and fragmentation
- 133 What is the role of RNA polymerase III in the process of transcription in Eukaryotes?
 - (1) Transcription of tRNA, 5 srRNA and snRNA
 - (2) Transcription of precursor of mRNA
 - (3) Transcription of only snRNAs
 - (4) Transcription of rRNAs (28S, 18S and 5.8S)
- 134 Given below are two statements:

 Statement I: Endarch and exarch are the terms often used for describing the position of secondary xylem in the plant body.

 Statement II: Exarch condition is the most common feature of the root system.

 In the light of the above statements, choose the correct answer from the options given below:
 - (1) Both **Statement** I and **Statement** II are false.
 - (2) **Statement** I is correct but **Statement** II is false.
 - (3) Statement I is incorrect but Statement II is true.
 - (4) Both Statement I and Statement II are true.
- 135 The process of appearance of recombination nodules occurs at which sub stage of prophase I in meiosis?
 - (1) Pachytene
- (2) Diplotene
- (3) Diakinesis
- (4) Zygotene

Botany: Section-B (Q. No. 136 to 150)

Given below are two statements: One is labelled as **Assertion A** and the other is labelled as **Reason R**:

Assertion A: In gymnosperms the pollen grains are released from the microsporangium and carried by air currents.

Reason R: Air currents carry the pollen grains to the mouth of the archegonia where the male gametes are discharged and pollen tube is not formed.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and Rare true but **R** is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is the correct explanation of A.
- 137 Which one of the following statements is NOT correct?
 - (1) Algal blooms caused by excess of organic matter in water improve water quality and promote fisheries.
 - (2) Water hyacinth grows abundantly in eutrophic water bodies and leads to an imbalance in the ecosystem dynamics of the water body.
 - (3) The amount of some toxic substances of industrial waste water increases in the organisms at successive trophic levels.
 - (4) The micro-organisms involved in biodegradation of organic matter in a sewage polluted water body consume a lot of oxygen causing the death of aquatic organisms.
- 138 Which of the following combinations is required for chemiosmosis?
 - (1) membrane, proton pump, proton gradient, NADP synthase
 - (2) proton pump, electron gradient, ATP synthase
 - (3) proton pump, electron gradient, NADP synthase
 - (4) membrane, proton pump, proton gradient, ATP synthase

139 Match List I with List II:

	List I		List II
A.	M Phase	I.	Proteins are
			synthesized
В.	G2 Phase	II.	Inactive phase
C.	Quiescent	Ш.	Interval between
	stage		mitosis and
	_		initiation of DNA
			replication
D.	G ₁ Phase	IV.	Equational
	1		division

Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-1, D-III
- (2) A-IV, B-1, C-II, D-III
- (3) A-II, B-IV, C-1, D-III
- (4) A-III, B-II, C-IV, D-1

140 Match List I with List II:

Lis	t I	List II
(In	teraction)	(Species A and B)
Å.	Mutualism	I + (A), O(B)
В.	Commensalism	II (A), O(B)
C.	Amensalism	III. $+(A)$, $-(B)$
D.	Parasitism	IV. $+(A),+(B)$
Cho	oose the correct an	swer from the option
	en helow ·	1

- (1) A-IV, B-1, C-II, D-III
- (2) A-IV, B-III, C-1, D-II
- (3) A-III, B-1, C-IV, D-II
- (4) A-IV, B-II, C-1, D-III

141 Given below are two statements:

Statement I: Gause's 'Competitive Exclusion Principle' states that two closely related species competing for the same resources cannot co-exist indefinitely and competitively inferior one will be eliminated eventually.

Statement II: In general, carnivores are more adversely affected by competition than herbivores.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **Statement** I and **Statement** II are false.
- (2) Statement I is correct but Statement II is false.
- (3) Statement I is incorrect but Statement II is true.
- (4) Both **Statement** I and **Statement** II are true.

142 Match List I with List II:

	List I		List II
A.	Iron	I.	Synthesis of auxin
B.	Zinc	II.	Component of
			nitrate reductase
C.	Boron	Ш.	Activator of catalase
D.	Molybdenum	IV.	Cell elongation and
	-		differentiation

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-IV, D-1
- (2) A-III, B-1, C-IV, D-II
- (3) A-II, B-IV, C-1, D-III
- (4) A-III, B-II, C-1, D-IV
- 143 Which of the following statements are correct about Klinefelter's Syndrome?
 - A. This disorder was first described by Langdon Down (1866).
 - B. Such an individual has overall masculine development. However, the feminine development is also expressed.
 - C. The affected individual is short statured.
 - D. Physical, psychomotor and mental development is retarded.
 - E. Such individuals are sterile.

Choose the **correct** answer from the options given below:

- (1) C and D only (2) B and E only
- (3) A and E only (4) A and B only

144 Identify the correct statements:

- A. Lenticels are the lens-shaped openings permitting the exchange of gases.
- B. Bark formed early in the season is called hard bark.
- C. Bark is a technical term that refers to all tissues exterior to vascular cambium.
- D. Bark refers to periderm and secondary phloem.
- E. Phellogen is single-layered in thickness. Choose the correct answer from the options given below:
- (1) A and D only
- (2) A, B and D only
- (3) B and C only
- (4) B, C and E only

- 145 How many different proteins does the ribosome consist of?
 - (1) 60
- (2) 40
- (3) 20
- (4) 80
- 146 Melonate inhibits the growth of pathogenic bacteria by inhibiting the activity of
 - (1) Amylase
 - (2) Lipase
 - (3) Dinitrogenase
 - (4) Succinic dehydrogenase
- 147 Match List I with List II:

List I

List II

- A. Cohesion
- I. More attraction in liquid phase
- B. Adhesion
- II. Mutual attraction among water molecules
- C. Surface tension
- III. Water loss in liquid phase
- D. Guttation
- IV. Attraction towards polar surfaces

Choose the **correct** answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-III, B-I, C-IV, D-II
- (3) A-II, B-I, C-IV, D-III
- (4) A-II, B-IV, C-I, D-III
- 148 Match List I with List II:

List I

- List II
- A. Oxidative decarboxylation
- Citrate synthase
- B. Glycolysis
- L Pyruvate dehydrogenase
- C. Oxidative phosphorylation
- III. Electron transport system
- D. Tricarboxylic
- IV. EMP pathway
- acid cycle Choose the correct answer from the options given below:
- (1) A-II, B-IV, C-I, D-III
- (2) A-III, B-I, C-II, D-IV
- (3) A-II, B-IV, C-III, D-I
- (4) A-III, B-IV, C-II, D-I

149 Given below are two statements: One is labelled as **Assertion A** and the other is labelled as **Reason R**:

Assertion A: A flower is defined as modified shoot wherein the shoot apical meristem changes to floral meristem.

Reason R: Internode of the shoot gets condensed to produce different floral appendages laterally at successive nodes instead of leaves.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and Rare true but R is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is the correct explanation of A.
- 150 Main steps in the formation of Recombinant DNA are given below. Arrange these steps in a correct sequence.
 - A. Insertion of recombinant DNA into the host cell.
 - B. Cutting of DNA at specific location by restriction enzyme.
 - C. Isolation of desired DNA fragment.
 - D. Amplification of gene of interest using PCR.

- (1) C,A,B,D
- (2) C, B, D, A
- (3) B, D, A, C
- (4) B, C, D, A

Zoology: Section-A (O. No. 151 to 185)

- 151 Which of the following statements are correct regarding female reproductive cycle?
 - In non-primate mammals cyclical changes during reproduction are called oestrus cycle.
 - B. First menstrual cycle begins at puberty and is called menopause.
 - C. Lack of menstruation may be indicative of pregnancy.
 - D. Cyclic menstruation extends between menarche and menopause.

Choose the **most appropriate** answer from the options given below:

- (1) A and B only
- (2) A, B and C only
- (3) A, C and D only
- (4) A and D only
- 152 Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Amniocentesis for sex determination is one of the strategies of Reproductive and Child Health Care Programme.

Reason R: Ban on amniocentesis checks increasing menace of female foeticide.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both A and Rare true and R is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is the correct explanation of A.

153 Match List I with List II.

Listi List II (Interacting (Name of **Interaction**) species) I. Competition

- A. A Leopard and a Lion in a forest/ grassland
- П. B. A Cuckoo laying **Brood** egg in a Crow's nest parasitism
- III.Mutualism C. Fungi and root of a higher plant in Mycorrtizae
- D. A cattle egret and Commensalism a Cattle in a field

Choose the **correct** answer from the options given below:

- (1) A-I, B-II, C-IV, D-III
- (2) A-III, B-IV, C-I, D-II
- (3) A-II, B-III, C-I, D-IV
- (4) A-I, B-II, C-III, D-IV
- Vital capacity of lung is
 - (1) IRV + ERV + TV + RV
 - (2) IRV+ ERV+ TV RV
 - (3) IRV + ERV + TV
 - (4) IRV+ ERV
- 155 Which one of the following common sexually transmitted diseases is completely curable when detected early and treated properly?
 - (1) Gonorrhoea
- (2) Hepatitis-B
- (3) HIV Infection (4) Genital herpes
- 156 Match List I with List II.

	List I		List II
A.	CCK	I.	Kidney
B.	GIP	${\rm I\!L}$	Heart
C.	ANF	III.	Gastric gland
D.	ADH	IV.	Pancreas

- (1) A-III, B-II, C-IV, D-I
- (2) A-II, B-IV, C-I, D-III
- (3) A-IV, B-II, C-III, D-I
- (4) A-IV, B-III, C-II, D-I

- 157 Match List I with List II. List I List II
 - A. Ringworm I. Haemophilus injluenzae
 - B. Filariasis II. Trichophyton
 - C. Malaria III. Wuchereria bancrofti
 - D. Pneumonia IV. Plasmodium vivax

Choose the **correct** answer from the options given below:

- (1) A-II, B-III, C-I, D-IV
- (2) A-III, B-II, C-I, D-IV
- (3) A-III, B-II, C-IV, D-I
- (4) A-II, B-III, C-IV, D-I
- 158 Match List I with List II.
 - List II List II
 - A. P-wave I. Beginning of systole
 - B. Q-wave L Repolarisation of ventricles
 - C. QRS complex III. Depolarisation of atria
 - D. T-wave IV. Depolarisation of ventricles

Choose the **correct** answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-II, B-IV, C-I, D-III
- (3) A-I, B-II, C-III, D-IV
- (4) A-III, B-I, C-IV, D-II
- 159 In which blood corpuscles, the HIV undergoes replication and produces progeny viruses?
 - (1) B-lymphocytes (2) Basophils
 - (3) Eosinophils (4) TH cells
- 160 Given below are two statements:

Statement I: Low temperature preserves the enzyme in a temporarily inactive state whereas high temperature destroys enzymatic activity because proteins are denatured by heat.

Statement II: When the inhibitor closely resembles the substrate in its molecular structure and inhibits the activity of the enzyme, it is known as competitive inhibitor. In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **Statement** I and **Statement** II are false.
- (2) **Statement** I is true but **Statement** II is false.
- (3) Statement I is false but Statement II is true.
- (4) Both **Statement** I and **Statement** II are true.

- **161** Given below are two statements:
 - **Statement I:** Ligaments are dense irregular tissue.

Statement II: Cartilage is dense regular tissue.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **Statement** I and **Statement** II are false.
- (2) **Statement** I is true but **Statement** II is false.
- (3) Statement I is false but Statement II is true.
- (4) Both **Statement I** and **Statement II** are true.
- Which of the following are NOT considered as the part of endomembrane system?
 - A. Mitochondria B. Endoplasmic Reticulum
 - C. Chloroplasts D. Golgi complex
 - E. Peroxisomes

Choose the **most appropriate** answer from the options given below:

- (1) A, C and E only
- (2) A and D only
- (3) A, D and E only
- (4) B and D only
- 163 Given below are two statements:

Statement I: A protein is imagined as a line, the left end represented by first amino acid (C-terminal) and the right end represented by last amino acid (N-terminal)

Statement II: Adult human haemoglobin, consists of 4 subunits (two subunits of a type and two subunits of type.)

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **Statement** I and **Statement** II are false.
- (2) **Statement** I is true but **Statement** II is false.
- (3) Statement I is false but Statement II is true
- (4) Both **Statement** I and **Statement** II are true.

- 164 Broad palm with single palm crease is visible in a person suffering from-
 - (1) Turner's syndrome
 - (2) Klinefelter's syndrome
 - (3) Thalassemia
 - (4) Down's syndrome
- 165 Which of the following statements is correct?
 - (1) Biomagnification refers to increase in concentration of the toxicant at successive trophic levels.
 - (2) Presence of large amount of nutrients in water restricts 'Algal Bloom'
 - (3) Algal Bloom decreases fish mortality
 - (4) Eutrophication refers to increase in domestic sewage and waste water in lakes.
- 166 Match List I with List II.

List I List II Nephridia A. Taenia I.

- B. Paramoecium II. Contractile vacuole
- III. Flame cells C. Periplaneta
- D. Pheretima IV. Urecose gland Choose the **correct** answer from the options give below:
- (1) A-I, B-II, C-IV, D-III
- (2) A-III, B-II, C-IV, D-I
- (3) A-II, B-I, C-IV, D-III
- (4) A-I, B-II, C-III, D-IV
- 167 Given below are two statements:

Statement I: Electrostatic precipitator is most widely used in thermal power plant. Statement II: Electrostatic precipitator in thermal power plant removes ionising radiations

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are incorrect.
- Statement I is correct but Statement II is incorrect.
- (3) Statement I incorrect but Statement II is correct.
- (4) Both Statement I and Statement II are correct.

168 Given below are two statements:

> Statement I: Vas deferens receives a duct from seminal vesicle and opens into urethra as the ejaculatory duct.

Statement II: The cavity of the cervix is called cervical canal which along with vagina forms birth canal.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is correct but Statement II is false.
- Statement I incorrect but Statement II is true.
- Both Statement I and Statement II are true.
- 169 Radial symmetry is NOT found in adults of phylum
 - (1) Hemichordata (2) Coelenterata
 - (3) Echinodermata (4) Ctenophora
- 170 Match List I with List II.

List I

(Cells)		(Secretion)
A. Peptic cells	I.	Mucus
B. Goblet cells	II.	Bile juice
C. Oxyntic cells	Ш.	Proenzyme pepsinogen
D. Hepatic cells	IV.	HCl and intrinsic factor
		for absorption of

List II

Choose the **correct** answer from the options given below:

vitamin B₁₂

- (1) A-II, B-I, C-III, D-IV
- (2) A-III, B-I, C-IV, D-II
- (3) A-II, B-IV, C-I, D-III
- (4) A-IV, B-III, C-II, D-I

171 Match List I with List II with respect to human eye.

	Listi		List II
A.	Fovea	I.	Visible coloured portion
			of eye that regulates
			diameter of pupil.
В.	Iris	II.	External layer of eye
			formed of dense
			connective tissue.
C.	Blind spot	III.	Point of greatest visual
			acuity or resolution.
D.	Sclera	IV.	Point where optic nerve
			leaves the eyeball and
			photoreceptor cells
			are absent.

Choose the **correct** answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-I, B-IV, C-III, D-II
- (3) A-II, B-I, C-III, D-IV
- (4) A-III, B-I, C-IV, D-II
- Which of the following functions is carried out by cytoskeleton in a cell?
 - (1) Protein synthesis
 - (2) Motility
 - (3) Transportation
 - (4) Nuclear division
- 173 Once the undigested and unabsorbed substances enter the caecum, their backflow is prevented by-
 - (1) Ileo caecal valve
 - (2) Gastro oesophageal sphincter
 - (3) Pyloric sphincter
 - (4) Sphincter of Oddi

174 Match List I with List II.

List I List II Oral method A. Vasectomy T. Coitus Barrier method interruptus Cervical caps III. Surgical method IV. Natural method D. Saheli Choose the **correct** answer from the options given below:

- (1) A-III, B-IV, C-II, D-I
- (2) A-II, B-III, C-I, D-IV
- (3) A-IV, B-II, C-I, D-III
- (4) A-III, B-I, C-IV, D-II

175 Match List I with List II.

List I		List II		
(Ту	pe of Joint)	(Found between)		
A.	Cartilaginous	I.	Between flat	
	Joint		skull bones	
B.	Ball and	II.	Between adjacent	
	Socket Joint		vertebrae in	
			vertebral column	
C.	Fibrous Joint	Ш.	Between carpal	
			and metacarpal of	
			thumb	
D.	Saddle Joint	IV.	Between	
			Humerus and	

Choose the **correct** answer from the options given below:

Pectoral girdle

- (1) A-II, B-IV, C-I, D-III
- (2) A-I, B-IV, C-III, D-II
- (3) A-II, B-IV, C-III, D-I
- (4) A-III, B-I, C-II, D-IV

176 Given below are two statements:

Statement I: RNA mutates at a faster rate. **Statement II:** Viruses having RNA genome and shorter life span mutate and evolve faster.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **Statement** I and **Statement** II are false.
- (2) **Statement** I is true but **Statement** II is false.
- (3) Statement I false but Statement II is true.
- (4) Both **Statement** I and **Statement** II are true.
- 177 Given below are two statements:

Statement I: In prokaryotes, the positively charged DNA is held with some negatively charged proteins in a region called nucleoid. **Statement II:** In eukaryotes, the negatively charged DNA is wrapped around the positively charged histone octamer to form nucleosome.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **Statement** I and **Statement** II are false.
- (2) Statement I is correct but Statement II is false.
- (3) Statement I incorrect but Statement II is true.
- (4) Both **Statement** I and **Statement** II are true.
- 178 Which one of the following symbols represents mating between relatives in human pedigree analysis?
 - (1) (2)
 - (3) • (4) O----(

- 179 Select the correct group/set of Australian Marsupials exhibiting adaptive radiation.
 - (1) Numbat, Spotted cuscus, Flying phalanger
 - (2) Mole, Flying squirrel, Tasmanian tiger cat
 - (3) Lemur, Anteater, Wolf
 - (4) Tasmanian wolf, Bobcat, Marsupial mole
- 180 Which of the following is not a cloning vector?
 - (1) YAC
- (2) pBR322
- (3) Probe
- (4) BAC
- 181 Match List I with List II.

List I List II

- A. Heroin I. Effect on cardiovascular system
- B. Marijuana II. Slow down body function
- C. Cocaine III. Painkiller
- D. Morphine IV. Interfere with transport of dopamine

- (1) A-I, B-II, C-III, D-IV
- (2) A-IV, B-III, C-II, D-I
- (3) A-III, B-IV, C-I, D-II
- (4) A-II, B-I, C-IV, D-III
- 182 Which one of the following techniques does not serve the purpose of early diagnosis of a disease for its early treatment?
 - (1) Serum and Urine analysis
 - (2) Polymerase Chain Reaction (PCR) technique
 - (3) Enzyme Linked Immuno-SorbentAssay (ELISA) technique
 - (4) Recombinant DNA Technology

183 Given below are two statements: one is labelled as **Assertion A** and the other is labelled as **Reason R**.

Assertion A: Endometrium is necessary for implantation of blastocyst.

Reason R: In the absence of fertilization, the corpus luteum degenerates that causes disintegration of endometrium.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and Rare true but **R** is NOT the correct explanation of **A**.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is the correct explanation of A.
- 184 Match List I with List II.

List I List II

- A. Gene 'a' I. (3-galactosidase
- B. Gene 'y' II. Transacetylase
- C. Gene 'i' III. Permease
- D. Gene 'z' IV. Repressor protein

Choose the **correct** answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
- (2) A-III, B-IV, C-I, D-II
- (3) A-III, B-I, C-IV, D-II
- (4) A-II, B-I, C-IV, D-III
- 185 Given below are statements; one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Nephrons are of two types: Cortical & Juxta medullary, based on their relative position in cortex and medulla.

Reason R: Juxta medullary nephrons have short loop of Henle whereas, cortical nephrons have longer loop of Henle.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and **R** are true but **R** is NOT the correct explanation of **A**.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is the correct explanation of A.

Zoology: Section-B (Q. No. 186 to 200)

- 186 Which of the following is characteristic feature of cockroach regarding sexual dimorphism?
 - (1) Presence of anal styles
 - (2) Presence of sclerites
 - (3) Presence of anal cerci
 - (4) Dark brown body colour and anal cerci
- 187 Select the correct statements.
 - A. Tetrad formation is seen during Leptotene.
 - B. During Anaphase, the centromeres split and chromatids separate.
 - C. Terminalization takes place during Pachytene.
 - D. Nucleolus, Golgi complex and ER are reformed during Telophase.
 - E. Crossing over takes place between sister chromatids of homologous chromosome.

Choose the **correct** answer from the options given below:

- (1) B and D only
- (2) A, C and E only
- (3) B and E only
- (4) A and C only
- **188** Which of the following statements are correct?
 - A. An excessive loss of body fluid from the body switches off osmoreceptors.
 - B. ADH facilitates water reabsorption to prevent diuresis.
 - C. ANF causes vasodilation.
 - D. ADH causes increase in blood pressure.
 - E. ADH is responsible for decrease in GFR.

- (1) B, C and D only
- (2) A, B and E only
- (3) C, D and E only
- (4) A and B only

- Given below are two statements:
 - Statement I: During G₀ phase of cell cycle, the cell is metabolically inactive.

Statement II: The centrosome undergoes duplication during S phase of interphase. In the light of the above statements, choose the *most appropriate* answer from the options given below:

- (1) Both Statement I and Statement II are incorrect.
- (2) Statement I is correct but Statement II is incorrect.
- Statement I is incorrect but Statement II is correct.
- (4) Both Statement I and Statement II are correct.
- 190 Which one of the following is NOT an advantage of inbreeding?
 - (1) It exposes harmful recessive genes that are eliminated by selection.
 - (2) Elimination of less desirable genes and accumulation of superior genes takes place due to it.
 - (3) It decreases the productivity of inbred population, after continuous inbreeding.
 - (4) It decreases homozygosity.
- Match List I with List II. 191

List I List II

- A. Logistic growth
- Unlimited resource availability condition
- growth
- B. Exponential II. Limited resource availability condition The percent individuals
- C. Expanding III. age pyramid ofpre-reproductive age is largest followed

by reproductive and post reproductive age groups

- D. Stable age pyramid
- The percent individuals of pre-reproductives and reproductive age group are same

Choose the **correct** answer from the options given below:

- (1) A-II, B-III, C-I, D-IV
- (2) A-II, B-IV, C-I, D-III
- (3) A-II, B-IV, C-III, D-I
- (4) A-II, B-I, C-III, D-IV

- 192 Which of the following are NOT under the control of thyroid hormone?
 - Maintenance of water and electrolyte balance
 - Regulation of basal metabolic rate В.
 - Normal rhythm of sleep-wake cycle
 - D. Development of immune system
 - E. Support the process of R.B.Cs formation Choose the **correct** answer from the options given below:
 - (1) B and C only (2) C and D only
 - (3) D and E only (4) A and D only
- 193 The unique mammalian characteristics are:
 - (1) hairs, pinna and mammary glands
 - (2) hairs, pinna and indirect development
 - pinna, monocondylic skull and mammary glands
 - (4) hairs, tympanic membrane and mammary glands
- 194 Which of the following statements are correct regarding skeletal muscle?
 - Muscle bundles are held together by collagenous connective tissue layer called fascicle.
 - Sarcoplasmic reticulum of muscle fibre B. is a store house of calcium ions.
 - Striated appearance of skeletal muscle fibre is due to distribution pattern of actin and myosin proteins.
 - D. M line is considered as functional unit of contraction called sarcomere.

Choose the *most appropriate* answer from the options given below:

- (1) B and C only
- (2) A, C and D only
- (3) C and D only
- (4) A, B and C only

- 195 Which of the following statements are correct?
 - A. Basophils are most abundant cells of the total WBCs
 - B. Basophils secrete histamine, serotonin and heparin
 - C. Basophils are involved in inflammatory response
 - D. Basophils have kidney shaped nucleus
 - E. Basophils are agranulocytes

Choose the **correct** answer from the options given below:

- (1) C and E only (2) B and C only
- (3) A and B only (4) D and E only
- 196 Which one of the following is the sequence on corresponding coding strand, if the sequence on mRNA formed is as follows

5'AUCGAUCGAUCGAUCGAUCG AUCG AUCG 3'?

- (1) 3' UAGCUAGCUAGCUAGCUAGCUAGCUAGCUAGCUAGC 5'
- (2) 5' ATCGATCGATCGATCG ATCGATCG 3'
- (3) 3' ATCGATCGATCGATCGATCG ATCGATCG 5'
- (4) 5' UAGCUAGCUAGCUAGCUA GCUAGC UAGC 3'
- 197 The parts of human brain that helps in regulation of sexual behaviour, expression of excitement, pleasure, rage, fear etc. are:
 - (1) Corpora quadrigemina & hippocampus
 - (2) Brain stem & epithalamus
 - (3) Corpus callosum and thalamus
 - (4) Limbic system & hypothalamus

198 Match List I with List II.

A. Mast cells B. Inner surface of bronchiole C. Blood List II Ciliated epithelium Areolar connective tissue III. Cuboidal epithelium

D. Tubular parts IV. specialised ofnephron connective tissue

Choose the **correct** answer from the options give below:

- (1) A-II, B-III, C-I, D-IV
- (2) A-II, B-I, C-IV, D-III
- (3) A-III, B-IV, C-II, D-I
- (4) A-I, B-II, C-IV, D-III
- 199 In cockroach, excretion is brought about by-
 - A. Phallic gland B. Urecose gland
 - C. Nephrocytes D. Fat body
 - E. Collaterial glands

Choose the **correct** answer from the options given below:

- (1) A, B and E only
- (2) B, C and D only
- (3) B and D only
- (4) A and E only
- **200** Select the correct statements with reference to chordates.
 - A. Presence of a mid-dorsal, solid and double nerve cord.
 - **B.** Presence of closed circulatory system.
 - C. Presence of paired pharyngeal gillslits.
 - **D.** Presence of dorsal heart
 - E. Triploblastic pseudocoelomate animals.

- (1) B and C only
- (2) B, D and E only
- (3) C, D and E only
- (4) A, C and D only



